${\bf APPENDIX~C}$ OUTFALL 008 WATERSHED EXCAVATION PLANS

APPENDIX C


TABLE OF CONTENTS

Appendix C	Interim Source Removal Actions – Outfall 8 Watershed Excavation Plans
Drawing No. C-1	Title, Site Location, Legend and General Notes
Drawing No. C-2	Excavation Plans: ISRA-HVS-1, ISRA-HVS-2B, ISRA-HVS-2C & ISRA-HVS-3
Drawing No. C-3	ISRA-HVS-2A
Drawing No. C-4	Excavation Plan: ISRA-CYN-1
Drawing No. C-5	Excavation Plan: ISRA-DRG-1



INTERIM SOURCE REMOVAL ACTIONS -OUTFALL 008 WATERSHED EXCAVATION PLANS

SANTA SUSANA FIELD LABORATORY VENTURA COUNTY, CALIFORNIA MAY 2009



LEGEND ADMINISTRATIVE AREA BOUNDARY RFI SITE BOUNDARY PREVIOUSLY EXCAVATED AREA SURFACE WATER DRAINAGE SURFACE WATER DIVIDE ELEVATION CONTOUR ISRA AREA EXCAVATION PLAN

GENERAL NOTES:

- 1. HORIZONTAL COORDINATES ARE BASED ON NORTH AMERICAN DATUM 1983 (NAD 83)
- 2. CONTRACTOR SHALL EXCAVATE AREAS INDICATED TO MAXIMUM DEPTHS SPECIFIED ON ATTACHED DRAWINGS OR BEDROCK, WHICHEVER IS SHALLOWER.
- CONTRACTOR SHALL MANAGE, TRANSPORT, AND DISPOSE OF EXCAVATED SOIL IN ACCORDANCE WITH THE ISRA SOIL MANAGEMENT PLAN.
- 4. EXCAVATION LIMITS SHOWN ON THE DRAWINGS ARE APPROXIMATE. THE ACTUAL LIMITS MAY VARY AS DIRECTED BY THE OWNER, BASED ON THE RESULTS OF CONFIRMATION SAMPLING.
- 5. DISTURBED AREAS SHALL EITHER BE RESTORED TO APPROXIMATELY EXISTING GRADES USING IMPORTED CLEAN FILL OR THE AREAS SHALL BE RECONTOURED WITHOUT THE ADDITION OF IMPORTED SOIL, TO ACHIEVE GRADES THAT WILL PREVENT PONDING OF STORMWATER, REDUCE THE POTENTIAL FOR EROSION, AND PROVIDE TOPSOIL SUFFICIENT TO ALLOW REVEGETATION AS DIRECTED BY OWNER.
- 6. VEGETATION SHALL BE ESTABLISHED IN DISTURBED SOIL AREAS TO MINIMIZE EROSION AS DIRECTED BY THE OWNER.
- 7. DISTURBED AREAS WILL INCORPORATE BMP'S TO PREVENT SOIL PARTICLES FROM BEING TRANSPORTED FROM THE SITE. AS SPECIFIED IN THE ISRA EROSION CONTROL PLAN.

NOT FOR CONSTRUCTION

				SCALE:	WARNING		SUBMITTED BY	
					0 1/6 1	DESIGNED		
				AS SHOWN		DRAWN	(PROJECT MANAGER'S NAME) LICENSE NO	EXP. DATE
11				AS SHOWN	IF THIS BAR DOES			
					NOT MEASURE 1" THEN DRAWING IS	CHECKED		
REY	/ DATE	RY	DESCRIPTION		NOT TO SCALE		(COMPANY OFFICER'S NAME) LICENSE NO	FYP DATE





SANTA SUSANA FIELD LABORATORY VENTURA COUNTY, CALIFORNIA INTERIM SOURCE REMOVAL ACTIONS OUTFALL 008 WATERSHED EXCAVATION PLANS


1891614


Drawing No. *C-1*Sheet No.

TITLE. SITE LOCATION, LEGEND AND GENERAL NOTES









APPENDIX D OUTFALL 009 WATERSHED EXCAVATION PLANS

Drawing No. D-4

APPENDIX D

TABLE OF CONTENTS


Appendix D	Interim Source Removal Actions – Outfall 009 Watershed Excavation Plans
Drawing No. D-1	Title, site Location, Legend and General Notes
Drawing No. D-2	Excavation Plans: ISRA-ELV-1C & 1D
Drawing No. D-3	Excavation Plan: ISRA-ELV-1C

Excavation Plan: ISRA-ELV-1D



INTERIM SOURCE REMOVAL ACTIONS-OUTFALL 009 WATERSHED EXCAVATION PLANS

SANTA SUSANA FIELD LABORATORY VENTURA COUNTY, CALIFORNIA MAY 2009



LEGEND

ADMINISTRATIVE AREA BOUNDARY

RFI SITE BOUNDARY

APPROXIMATE WATERSHED AREA

SURFACE WATER DRAINAGE

SURFACE WATER DIVIDE


ELEVATION CONTOUR

ISRA AREA EXCAVATION

GENERAL NOTES:

- HORIZONTAL COORDINATES ARE BASED ON NORTH AMERICAN DATUM 1983 (NAD 83)
- 2. CONTRACTOR SHALL EXCAVATE AREAS TO DEPTHS SPECIFIED IN THE INDIVIDUAL EXCAVATION PLAN DRAWINGS.
- 3. CONTRACTOR SHALL MANAGE, TRANSPORT, AND DISPOSE OF EXCAVATED SOIL IN ACCORDANCE WITH ISRA SOIL MANAGEMENT PLAN.
- . EXCAVATION LIMITS SHOWN ON THE DRAWINGS ARE APPROXIMATE. THE ACTUAL LIMITS MAY VARY AS DIRECTED BY THE OWNER, BASED ON THE RESULTS OF CONFIRMATION SAMPLING.
- 5. DISTURBED AREAS SHALL EITHER BE RESTORED TO APPROXIMATLEY EXISTING GRADES USING IMPORTED CLEAN FILL OR THE AREAS SHALL BE RECONTOURED WITHOUT THE ADDITION OF IMPORTED SOIL. TO ACHIEVE GRADES THAT WILL PREVENT PONDING OF STORMWATER, REDUCE THE POTENTIAL FOR EROSION, AND PROVIDE TOPSOIL SUFFICENT TO ALLOW REVEGETATION AS DIRECTED BY OWNER.
- 6. VEGETATION SHALL BE ESTABILISHED IN DISTURBED SOIL AREAS TO MINIMIZE EROSION AS DIRECTED BY OWNER.
- 7. DISTURBED AREAS WILL INCORPORATE BMP'S TO PREVENT SOIL PARTICLES FROM BEING TRANSPORTED FROM THE SITE. AS SPECIFIED IN THE ISRA EROSION CONTROL PLAN.

NOT FOR CONSTRUCTION



CHARMSOURCE REMOVAL ACTION
OUTFALL 009 WATERSHED EXCAVATION
OUTFALL 009 WATERSHED EXCAVATION
TITLE, SITE LOCATION, LEGEND AND GENERA

FILENAME: FigCover_384727.dgn PLOT DATE: 4/30/2009

PLOT TIME: 5:11:24 PM

D-1

