APPENDIX G

Section 9

Outfall 009, September 22, 2007 MEC^X Data Validation Reports

ME	CX, LLC	Package ID IOI2054
226	60 East Vassar Drive	Task Order 1261.100D.00 001
Suite	e 500	SDG No. IQI2054
ake	ewood, CO 80226	No. of Analyses 1
	Laboratory Vista Anal	ytical Date: Oct 31, 2007
	Reviewer E. Wesslin	g Reviewer's Signature
	Analysis/Method Dioxins/Fu	irans Shath Aluna
ACT	TION ITEMS ^a	
	Case Narrative	
	Deficiencies	
2.	Out of Scope	
	Analyses	
3.	Analyses Not Conducted	
4.	Missing Hardcopy	
	Deliverables	
5.	Incorrect Hardcopy	
	Deliverables	
6.	Deviations from Analysis	Qualifications were assigned for the following:
	Protocol, e.g.,	
	Holding Times	- EMPC values were qualified as estimated nondetects
	GC/MS Tune/Inst. Performance	
	Calibration	- Estimated values between the RL and EDL qualified DNQ
	Method blanks	
	Surrogates	
	Matrix Spike/Dup LCS	
	Field QC	
	Internal Standard Performance	
	Compound Identification	
	Quantitation	
	System Performance	
CO	MMENTS ^b	
-		

Rev 3 (5/2/00- lhw) L:\public\dataval\cesdtrax.frm

I

CONTRACT COMPLIANCE SCREENING FORM FOR HARDCOPY DATA

MEC ^x	Task Order:	1261.100D.00
12269 East Vassar Drive	SDG No.:	IQI2054
Aurora, CO 80014	No. of Analyses:	1
Laboratory: TesAmerica, Weck	Date: Octobe	er 21, 2007
Reviewer: P. Meeks	Reviewer's Si	gnature
Analysis/Method: Metals, General Minerals	- P. Wet	Σ

2	Case Narrative Deficiencies	
2.	Out of Scope Analyses	
3.	Analyses Not Conducted	
4.	Missing Hardcopy	
	Deliverables	
5	Incorrect Hardcony	
0.	Deliverables	
6.	Deviations from Analysis	Detects below the reporting limit qualified as estimated.
	Protocol, e.g.,	
	Holding Times	
	GC/MS Tune/Inst. Performance	
	Calibration	
	Method blanks	
	Surrogates	
	Matrix Spike/Dup LCS	
	Field QC	
	Internal Standard Performance	
	Compound Identification	
	Quantitation	
	System Performance	
co	MMENTS [®]	
-255		
a	where the start and the start of the start is not	



DATA VALIDATION REPORT

Boeing SSFL NPDES

SAMPLE DELIVERY GROUP: IQI2054

Prepared by

MEC^X, LLC 12269 East Vassar Drive Aurora, CO 80014

Task Order Title: **Boeing SSFL NPDES** Contract Task Order: 1261.100D.00 IQI2054 Sample Delivery Group: Project Manager: P. Costa Matrix: Water QC Level: IV No. of Samples: 1 No. of Reanalyses/Dilutions: 0 Laboratory: TestAmerica-Irvine

I. INTRODUCTION

Table 1. Sample Identification

Client ID	Laboratory ID	Sub-Laboratory ID	Matrix	Collected	Method
Outfall 009	IQI2054-01	7092404-01	Water	9/22/07 1249	160.2, 314.0, 245.1, 6020, 1613

II. Sample Management

No anomalies were observed regarding sample management. The sample in this SDG was received at TestAmerica-Irvine and the sub-laboratory, Weck, within the temperature limits of 4°C \pm 2°C. The sample was received at the sub-laboratory, Vista, below the temperature limit at 0.4°C; however, as the sample was not noted to be damaged or frozen, no qualifications were required. According to the case narrative for this SDG, the sample was received intact at all laboratories. The COCs were appropriately signed and dated by field and/or laboratory personnel. As the samples were couriered to TestAmerica-Irvine, custody seals were not required. Custody seals were intact upon arrival at sub-laboratories, Weck and Vista. The client ID was added to the sample result summaries by the reviewer.

Qualifier	Organics	Inorganics
U	The analyte was analyzed for, but was not detected above the reported sample quantitation limit. The associated value is the quantitation limit or the estimated detection limit for dioxins.	The material was analyzed for, but was not detected above the level of the associated value. The associated value is either the sample quantitation limit or the sample detection limit. The associated value is the sample detection limit or the quantitation limit for perchlorate only.
J	The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample.	The associated value is an estimated quantity.
Ν	The analysis indicates the presence of an analyte for which there is presumptive evidence to make a "tentative identification."	Not applicable.
NJ	The analysis indicates the presence of an analyte that has been "tentatively identified" and the associated numerical value represents its approximate concentration.	Not applicable.
UJ	The analyte was not deemed above the reported sample quantitation limit. However, the reported quantitation limit is approximate and may or may not represent the actual limit of quantitation necessary to accurately and precisely measure the analyte in the sample.	The material was analyzed for, but was not detected. The associated value is an estimate and may be inaccurate or imprecise.
R	The data are unusable. The sample results are rejected due to serious deficiencies in the ability to analyze the sample and to meet quality control criteria. The presence or absence of the analyte cannot be verified.	The data are unusable. The sample results are rejected due to serious deficiencies in the ability to analyze the sample and to meet quality control criteria. The presence or absence of the analyte cannot be verified.

Data Qualifier Reference Table

Qualifier	Organics	Inorganics
Н	Holding times were exceeded.	Holding times were exceeded.
S	Surrogate recovery was outside QC limits.	The sequence or number of standards used for the calibration was incorrect
С	Calibration %RSD or %D was noncompliant.	Correlation coefficient is <0.995.
R	Calibration RRF was <0.05.	%R for calibration is not within control limits.
В	Presumed contamination as indicated by the preparation (method) blank results.	Presumed contamination as indicated by the preparation (method) or calibration blank results.
L	Laboratory Blank Spike/Blank Spike Duplicate %R was not within control limits.	Laboratory Control Sample %R was not within control limits.
Q	MS/MSD recovery was poor or RPD high.	MS recovery was poor.
Е	Not applicable.	Duplicates showed poor agreement.
I	Internal standard performance was unsatisfactory.	ICP ICS results were unsatisfactory.
А	Not applicable.	ICP Serial Dilution %D were not within control limits.
М	Tuning (BFB or DFTPP) was noncompliant.	Not applicable.
Т	Presumed contamination as indicated by the trip blank results.	Not applicable.
+	False positive – reported compound was not present.	Not applicable.
-	False negative – compound was present but not reported.	Not applicable.
F	Presumed contamination as indicated by the FB or ER results.	Presumed contamination as indicated by the FB or ER results.
\$	Reported result or other information was incorrect.	Reported result or other information was incorrect.
?	TIC identity or reported retention time has been changed.	Not applicable.

Qualification Code Reference Table

Qualification Code Reference Table Cont.

D	The analysis with this flag should not be used because another more technically sound analysis is available.	The analysis with this flag should not be used because another more technically sound analysis is available.
Р	Instrument performance for pesticides was poor.	Post Digestion Spike recovery was not within control limits.
DNQ	The reported result is above the method detection limit but is less than the reporting limit.	The reported result is above the method detection limit but is less than the reporting limit.
*11, *111	Unusual problems found with the data that have been described in Section II, "Sample Management," or Section III, "Method Analyses." The number following the asterisk (*) will indicate the report section where a description of the problem can be found.	Unusual problems found with the data that have been described in Section II, "Sample Management," or Section III, "Method Analyses." The number following the asterisk (*) will indicate the report section where a description of the problem can be found.

III. Method Analyses

A. EPA METHOD 1613—Dioxin/Furans

Reviewed By: E. Wessling Date Reviewed: 10/21/2007

The sample listed in Table 1 for this analysis was validated based on the guidelines outlined in the MEC^{X} Data Validation Procedure for Dioxins and Furans (DVP-19, Rev. 0), USEPA Method 1613, and the National Functional Guidelines Chlorinated Dioxin/Furan Data Review (8/02).

- Holding Times: Extraction and analytical holding times were met. The water sample was extracted and analyzed within one year of collection.
- Instrument Performance: Instrument performance criteria were met. Following are findings associated with instrument performance.
 - GC Column Performance: A Windows Defining Mix (WDM) containing the first and last eluting congeners of each descriptor and isomer specificity compounds was not analyzed prior to the initial calibration sequence or at the beginning of each analytical sequence; however, the first and last eluting congeners and isomer specificity compounds were added to the midpoint of the initial calibration and to the continuing calibration standards. No adverse affect was observed with this practice. The GC column performance in the calibrations was acceptable, with the height of the valley between the closely eluting isomers and 2,3,7,8-TCDD reported as less than 25%.
 - Mass Spectrometer Performance: The mass spectrometer performance was acceptable with the static resolving power greater than 10,000.
- Calibration: Calibration criteria were met.
 - Initial Calibration: Initial calibration criteria were met. The initial calibration was acceptable with %RSDs ≤20% for the 16 native compounds (calibration by isotope dilution) and ≤35% for the one native and all labeled compounds (calibration by internal standard). The relative retention times and ion abundance ratios were within the Method 1613 QC limits for all standards.
 - Continuing Calibration: Calibration verification (VER) consisted of a mid-level standard (CS3) analyzed at the beginning of each analytical sequence. The VERs were acceptable with the concentrations within the acceptance criteria listed in Table 6 of EPA Method 1613. The ion abundance ratios and relative retention times were within the method QC limits.

- Blanks: The method blank had a detect for OCDD above the EDL; however, the concentration reported in the sample exceeded five times the concentration reported in the method blank.
- Blank Spikes and Laboratory Control Samples: Recoveries were within the acceptance criteria listed in Table 6 of Method 1613.
- Field QC Samples: Field QC samples were evaluated, and if necessary, qualified based on method blanks and other laboratory QC results affecting the usability of the field QC data. Any remaining detects were used to evaluate the associated site samples. Following are findings associated with field QC samples:
 - Field Blanks and Equipment Rinsates: This SDG had no identified field blank or equipment rinsate samples.
 - Field Duplicates: There were no field duplicate samples identified for this SDG.
- Internal Standards Performance: The labeled standard recoveries were within the acceptance criteria listed in Table 7 of Method 1613.
- Compound Identification: Compound identification was verified. The laboratory analyzed for polychlorinated dioxins/furans by EPA Method 1613. Total PeCDF was qualified as an estimated nondetect, "UJ," as the EMPC value did not meet the identification criteria.
- Compound Quantification and Reported Detection Limits: Compound quantitation was verified by recalculating any sample detects and a representative number of blank spike concentrations. The laboratory calculated and reported compound-specific detection limits. Any detect below the laboratory lower calibration level was qualified as estimated, "J." These "J" values were annotated with the qualification code of "DNQ" to comply with the reporting requirements of the NPDES permit. Nondetects are valid to the estimated detection limit (EDL).

B. EPA METHODS 6020 & 7470A—Metals and Mercury

Reviewed By: P. Meeks Date Reviewed: October 21, 2007

The sample listed in Table 1 for this analysis was validated based on the guidelines outlined in the *MEC^X* Data Validation Procedure for Metals (DVP-5, Rev. 0 and DVP-21, Rev. 0), EPA Methods 6020 and 245.1, and the National Functional Guidelines for Inorganic Data Review (2/94).

• Holding Times: The analytical holding times, six months for metals and 28 days for mercury, were met.

- Tuning: The mass calibration and resolution checks criteria were met. All tuning solution %RSDs were ≤5%, and all masses of interest were calibrated to ≤ 0.1 amu and ≤0.9 amu at 10% peak height.
- Calibration: Calibration criteria were met. Mercury initial calibration r² values were ≥0.995 and all initial and continuing calibration recoveries were within 90-110% for the ICP-MS metals and 85-115% for mercury.
- Blanks: There were no applicable detects in the method blanks or CCBs.
- Interference Check Samples: Recoveries were within the method-established control limits. Cadmium was detected in the ICSA solution at 2.8 µg/L; however, the reviewer could not determine if the concentration was indicative of matrix interference.
- Blank Spikes and Laboratory Control Samples: The recoveries were within laboratoryestablished QC limits.
- Laboratory Duplicates: No laboratory duplicate analyses were performed.
- Matrix Spike/Matrix Spike Duplicate: MS/MSD analyses were performed on the sample in this SDG. All recoveries and RPDs were within the laboratory-established control limits.
- Serial Dilution: No serial dilution analyses were performed.
- Internal Standards Performance: All sample internal standard intensities were within 30-120% of the internal standard intensities measured in the initial calibration. All CCV and CCB internal standard intensities were within 80-120% of the internal standard intensities measured in the initial calibration.
- Sample Result Verification: Calculations were verified and the sample results reported on the sample result summary were verified against the raw data. No transcription errors or calculation errors were noted. Detects reported below the reporting limit were qualified as estimated and coded with "DNQ," in order to comply with the NPDES permit. Reported nondetects are valid to the MDL.
- Field QC Samples: Field QC samples were evaluated, and if necessary, qualified based on method blanks and other laboratory QC results affecting the usability of the field QC data. Any remaining detects were used to evaluate the associated site samples. Following are findings associated with field QC samples:
 - Field Blanks and Equipment Rinsates: This SDG had no identified field blank or equipment rinsate samples.
 - Field Duplicates: There were no field duplicate samples identified for this SDG.

C. VARIOUS EPA METHODS—General Minerals

Reviewed By: P. Meeks Date Reviewed: October 21, 2007

The sample listed in Table 1 for this analysis was validated based on the guidelines outlined in the MEC^{\times} Data Validation Procedure for General Minerals (DVP-6, Rev. 0), EPA Methods 160.2 and 314.0, and the National Functional Guidelines for Inorganic Data Review (2/94).

- Holding Times: The analytical holding times, 7 days for TSS and 28 days for perchlorate, were met.
- Calibration: Calibration criteria were met. Perchlorate initial calibration r² values were ≥0.995 and all initial and continuing calibration, ICCS, and IPC recoveries were within 90-110%. The IPC-MA was recovered within 85-115%.
- Blanks: Method blanks and CCBs had no detects.
- Blank Spikes and Laboratory Control Samples: Recoveries were within laboratoryestablished QC limits.
- Laboratory Duplicates: No laboratory duplicate analyses were performed.
- Matrix Spike/Matrix Spike Duplicate: No MS/MSD analyses were performed on the sample in this SDG. Method accuracy was evaluated based on LCS results.
- Sample Result Verification: Calculations were verified and the sample results reported on the sample result summary were verified against the raw data. No transcription errors or calculation errors were noted. Reported nondetects are valid to the reporting limit.
- Field QC Samples: Field QC samples were evaluated, and if necessary, qualified based on method blanks and other laboratory QC results affecting the usability of the field QC data. Any remaining detects were used to evaluate the associated site samples. Following are findings associated with field QC samples:
 - Field Blanks and Equipment Rinsates: This SDG had no identified field blank or equipment rinsate samples.
 - Field Duplicates: There were no field duplicate samples identified for this SDG.

Sample ID: IQI2	2054-01 Du	flal	G L	909				EPA N	dethod 1613
Client Data	170 EA	3	Sample Data		Laboratory Data				
Name: Test	America		Matrix:	Aqueous	Lab Sample:	29590-001	Date Re	ceived:	25-Sep-07
Project: IQL Data Collocted: 22.5	2054 Sap 07		Sample Size:	0.979 L	QC Batch No.:	9453	Date Ex	tracted:	6-Oct-07
Time Collected: 1249)				Date Analyzed DB-5:	8-Oct-07	Date An	alyzed DB-225:	NA
Analyte	Conc. (ug/L)	DL ^a	EMPC ^b	Qualifiers	Labeled Stands	ard	%R	LCL-UCL ^d	Qualifiers
2,3,7,8-TCDD	ND U	0.00000152	2		IS 13C-2,3,7,8-TCE	D	88.8	25 - 164	
1,2,3,7,8-PeCDD	0.00000312 1/2	QMQ		J	13C-1,2,3,7,8-Pe	CDD	92.4	25 - 181	
1,2,3,4,7,8-HxCDD	0.00000477	'		J	13C-1,2,3,4,7,8-H	HxCDD	80.8	32 - 141	
1,2,3,6,7,8-HxCDD	0.00000913			J	13C-1,2,3,6,7,8-H	IxCDD	79.0	28 - 130	
1,2,3,7,8,9-HxCDD	0.00000827 🗸			J	13C-1,2,3,4,6,7,8	-HpCDD	91.7	23 - 140	
1,2,3,4,6,7,8-HpCDD	0.000231				13C-OCDD	-	82.2	17 - 157	
OCDD	0.00378			В	13C-2,3,7,8-TCD	0F	89.6	24 - 169	
2.3.7.8-TCDF	ND U	0.00000214	1		13C-1,2,3,7,8-Pe	CDF	96.5	24 - 185	
1.2.3.7.8-PeCDF	ND	0.00000236	5		13C-2,3,4,7,8-Pe	CDF	95.4	21 - 178	
2.3.4.7.8-PeCDF	ND	0.00000231			13C-1,2,3,4,7,8-H	IxCDF	77.2	26 - 152	
1,2,3,4,7,8-HxCDF	ND	0.00000336	;		13C-1,2,3,6,7,8-H	IxCDF	72.5	26 - 123	
1,2,3,6,7,8-HxCDF	ND	0.00000318			13C-2,3,4,6,7,8-H	IxCDF	72.7	28 - 136	
2,3,4,6,7,8-HxCDF	ND	0.00000340)		13C-1,2,3,7,8,9-H	IxCDF	78.1	29 - 147	
1,2,3,7,8,9-HxCDF	ND 🗸	0.00000464			13C-1,2,3,4,6,7,8	-HpCDF	78.7	28 - 143	
1,2,3,4,6,7,8-HpCDF	0.0000425				13C-1,2,3,4,7,8,9	-HpCDF	91.7	26 - 138	
1,2,3,4,7,8,9-HpCDF	ND U	0.00000594			13C-OCDF		81.0	17 - 157	
OCDF	0.000137				CRS 37C1-2,3,7,8-TCL	DD	90.4	35 - 197	
Totals					Footnotes				
Total TCDD	ND U	0.00000152			a. Sample specific estimated	detection limit.			
Total PeCDD	0.00000312				b. Estimated maximum possi	ble concentration.			
Total HxCDD	0.0000529		0.000075	3	c. Method detection limit.				
Total HpCDD	0.000659				d. Lower control limit - uppe	r control limit.			
Total TCDF	ND U,	0.00000214							
Total PeCDF	ND UJ/#T	I	0.000008	54					
Total HxCDF	0.0000326		0.000038	7					
Total HpCDF	0.000109						302.31		
Analyst: JMH	Lerce	LIV			Approved By:	Martha M. Mai	er 09-0	ct-2007 13:15	

100



17461 Derian Avenue, Suite 100, Irvinc, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWII-Pasadena/Boeing Project ID:	Routine Outfall 009			
618 Michillinda Avenue, Suite 200		Sampled:	09/22/07	100
Arcadia, CA 91007 Report Number:	IQI2054	Received:	09/22/07	
Attention: Bronwyn Kelly				i.
	an a			
	METALS			

Analyte		Method	Batch	MDL Limit	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IQI2054-01 (Or	itfall 009 - Wate	er)								
Reporting Units: ug/l									21	
Antimony	1/DNO	EPA 200.8	7124068	0.20	2.0	0.86	1	09/24/07	09/25/07	J
Cadmium	TIDNG	EPA 200.8	7124068	0.11	1.0	0.15	1	09/24/07	09/25/07	J
Copper	C DIOR	EPA 200.8	7124068	0.75	2.0	9.9	1	09/24/07	09/25/07	
Lead		EPA 200.8	7124068	0.10	1.0	8.6	1	09/24/07	09/25/07	
Thallium	()	EPA 200.8	7124068	0.15	1.0	ND	1	09/24/07	09/25/07	

LEVEL IV

TestAmerica - Irvine, CA

Joseph Doak Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full without written permission from TestAmerica.

1Q12054 <Page 2 of 15>

10

<u>TestAmerica</u>

THE LEADER IN ENVIRONMENTAL TESTING

17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing 618 Michillinda Avenue, Suite 200 Arcadia, CA 91007 Attention: Bronwyn Kelly	Project ID: Report Number:	Routine Outfall 009 IQI2054	Sampled: Received:	09/22/07 09/22/07

Metals by	EPA 200	Series	Methods
-----------	----------------	--------	---------

Analyte		Method	Batch	MDL Limit	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IQI2054-01 (Outfall 00)	9 - Wat	er) - cont.								
Mercury, Dissolved Mercury, Total		EPA 245.1 EPA 245.1	W7I1160 W7I1160	0.025 0.025	0.10 0.10	ND ND	1 1	09/27/07 09/27/07	09/27/07 09/27/07	



TestAmerica - Irvine, CA

Joseph Doak Project Manager

IQI2054 <Page 5 of 15>



.....

THE LEADER IN ENVIRONMENTAL TESTING

LEVEL IV

17461 Derian Avenue. Suite 100, Irvine. CA 92614 (949) 261-1022 Fax:(949) 260-3297

n Anna an	INORGANICS											
Analyte	Method	Batch	MDL Limit	Reporting	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers			

Sample 1D: 1Q12054-01 (O	utfall 009 - W	ater) - cont.								
Reporting Units: mg/l										
Chloride	*	EPA 300.0	7124057	0.25	0.50	6.4	1	09/24/07	09/24/07	
Nitrate/Nitrite-N		EPA 300.0	7124057	0.15	0.26	1.3	1	09/24/07	09/24/07	
Oil & Grease		EPA 413.1	7125056	1.2	5.0	1.2	1	09/25/07	09/25/07	J
Sulfate		EPA 300.0	7124057	0.20	0.50	25	1	09/24/07	09/24/07	
Total Dissolved Solids	V	SM2540C	7124104	10	10	160	1	09/24/07	09/24/07	
Total Suspended Solids		EPA 160.2	7124119	10	10	99	1	09/24/07	09/24/07	
Sample ID: IQI2054-01 (O	utfall 009 - W	ater)								
Reporting Units: ug/l										
Perchlorate	U	EPA 314.0	7J03062	1.5	4.0	ND	1	10/03/07	10/04/07	
			* A	nalysi	s not	vali da	tet			



Joseph Doak Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced. except in full, without written permission from TestAmerica.

IQ12054 <Page 4 of 15>

APPENDIX G

Section 10

Outfall 009, September 22, 2007 Test America Analytical Laboratory Report

<u>TestAmerica</u>

THE LEADER IN ENVIRONMENTAL TESTING

LABORATORY REPORT

Prepared For: MWH-Pasadena/Boeing 618 Michillinda Avenue, Suite 200 Arcadia, CA 91007 Attention: Bronwyn Kelly Project: Routine Outfall 009

Sampled: 09/22/07 Received: 09/22/07 Issued: 10/16/07 09:26

NELAP #01108CA California ELAP#1197 CSDLAC #10256

The results listed within this Laboratory Report pertain only to the samples tested in the laboratory. The analyses contained in this report were performed in accordance with the applicable certifications as noted. All soil samples are reported on a wet weight basis unless otherwise noted in the report. This Laboratory Report is confidential and is intended for the sole use of TestAmerica and its client. This report shall not be reproduced, except in full, without written permission from TestAmerica. The Chain of Custody, 1 page, is included and

is an integral part of this report.

This entire report was reviewed and approved for release.

SAMPLE CROSS REFERENCE

SUBCONTRACTED: Refer to the last page for specific subcontract laboratory information included in this report.

LABORATORY ID

IQI2054-01

CLIENT ID Outfall 009 MATRIX Water

Reviewed By:

Joseph Dock

TestAmerica - Irvine, CA Joseph Doak Project Manager



17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing	Project ID:	Routine Outfall 009		
618 Michillinda Avenue, Suite 200			Sampled:	09/22/07
Arcadia, CA 91007	Report Number:	IQI2054	Received:	09/22/07
Attention: Bronwyn Kelly				

METALS											
Analyte	Method	Batch	MDL Limit	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers		
Sample ID: IQI2054-01 (Outfall 00	19 - Water)										
Reporting Units: ug/l											
Antimony	EPA 200.8	7I24068	0.20	2.0	0.86	1	09/24/07	09/25/07	J		
Cadmium	EPA 200.8	7I24068	0.11	1.0	0.15	1	09/24/07	09/25/07	J		
Copper	EPA 200.8	7I24068	0.75	2.0	9.9	1	09/24/07	09/25/07			
Lead	EPA 200.8	7124068	0.10	1.0	8.6	1	09/24/07	09/25/07			
Thallium	EPA 200.8	7I24068	0.15	1.0	ND	1	09/24/07	09/25/07			

TestAmerica - Irvine, CA



17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing 618 Michillinda Avenue, Suite 200 Arcadia, CA 91007 Attention: Bronwyn Kelly Project ID: Routine Outfall 009

Report Number: IQI2054

Sampled: 09/22/07 Received: 09/22/07

DISSOLVED METALS												
Analyte	Method	Batch	MDL Limit	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers			
Sample ID: IQI2054-01 (Outfall 009	- Water) - cont.											
Reporting Units: ug/l	ED4 200 0 D	710 4000	0.00	2.0	0 50	1	00/04/07	00/05/07	T			
Antimony	EPA 200.8-Diss	/124099	0.20	2.0	0.78	1	09/24/07	09/25/07	J			
Cadmium	EPA 200.8-Diss	7124099	0.11	1.0	ND	1	09/24/07	09/25/07				
Copper	EPA 200.8-Diss	7124099	0.75	2.0	6.0	1	09/24/07	09/25/07				
Lead	EPA 200.8-Diss	7124099	0.10	1.0	0.87	1	09/24/07	09/25/07	J			
Thallium	EPA 200.8-Diss	7124099	0.15	1.0	ND	1	09/24/07	09/25/07				

TestAmerica - Irvine, CA



17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing 618 Michillinda Avenue, Suite 200 Arcadia, CA 91007 Attention: Bronwyn Kelly

Project ID: Routine Outfall 009

Report Number: IQI2054

Sampled: 09/22/07 Received: 09/22/07

INORGANICS												
Analyte	Method	Batch	MDL Limit	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers			
Sample ID: IQI2054-01 (Outfall 009 - W	ater) - cont.											
Reporting Units: mg/l												
Chloride	EPA 300.0	7124057	0.25	0.50	6.4	1	09/24/07	09/24/07				
Nitrate/Nitrite-N	EPA 300.0	7124057	0.15	0.26	1.3	1	09/24/07	09/24/07				
Oil & Grease	EPA 413.1	7125056	1.2	5.0	1.2	1	09/25/07	09/25/07	J			
Sulfate	EPA 300.0	7124057	0.20	0.50	25	1	09/24/07	09/24/07				
Total Dissolved Solids	SM2540C	7I24104	10	10	160	1	09/24/07	09/24/07				
Total Suspended Solids	EPA 160.2	7I24119	10	10	99	1	09/24/07	09/24/07				
Sample ID: IQI2054-01 (Outfall 009 - W	ater)											
Reporting Units: ug/l												
Perchlorate	EPA 314.0	7J03062	1.5	4.0	ND	1	10/03/07	10/04/07				

TestAmerica - Irvine, CA



17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing 618 Michillinda Avenue, Suite 200 Arcadia, CA 91007 Attention: Bronwyn Kelly

Report Number: IQI2054

Sampled: 09/22/07 Received: 09/22/07

Metals by EPA 200 Series Methods Data MDL Reporting Sample Dilution Date Date Analyte Method Batch Limit Limit Result Factor Extracted Analyzed Qualifiers Sample ID: IQI2054-01 (Outfall 009 - Water) - cont. Reporting Units: ug/l Mercury, Dissolved EPA 245.1 W7I1160 0.025 0.10 ND 1 09/27/07 09/27/07 Mercury, Total EPA 245.1 W7I1160 0.025 0.10 ND 1 09/27/07 09/27/07

Project ID: Routine Outfall 009

TestAmerica - Irvine, CA



17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing 618 Michillinda Avenue, Suite 200 Arcadia, CA 91007 Attention: Bronwyn Kelly Project ID: Routine Outfall 009

Report Number: IQI2054

Sampled: 09/22/07 Received: 09/22/07

SHORT HOLD TIME DETAIL REPORT

	Hold Time (in days)	Date/Time Sampled	Date/Time Received	Date/Time Extracted	Date/Time Analyzed
Sample ID: Outfall 009 (IQI2054-01) - Water					
EPA 300.0	2	09/22/2007 12:49	09/22/2007 16:07	09/24/2007 07:00	09/24/2007 11:17

TestAmerica - Irvine, CA



17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing 618 Michillinda Avenue, Suite 200 Arcadia, CA 91007 Attention: Bronwyn Kelly Project ID: Routine Outfall 009

Report Number: IQI2054

Sampled: 09/22/07 Received: 09/22/07

METHOD BLANK/QC DATA

METALS

		Reporting			Spike	Source		%REC		RPD	Data
Analyte	Result	Limit	MDL	Units	Level	Result	%REC	Limits	RPD	Limit	Qualifiers
Batch: 7I24068 Extracted: 09/24/07	, 										
Blank Analyzed: 09/25/2007 (7I24068-B	LK1)										
Antimony	ND	2.0	0.20	ug/l							
Cadmium	ND	1.0	0.11	ug/l							
Copper	ND	2.0	0.75	ug/l							
Lead	ND	1.0	0.10	ug/l							
Thallium	ND	1.0	0.15	ug/l							
LCS Analyzed: 09/25/2007 (7124068-BS	1)										
Antimony	75.5	2.0	0.20	ug/l	80.0		94	85-115			
Cadmium	76.0	1.0	0.11	ug/l	80.0		95	85-115			
Copper	83.3	2.0	0.75	ug/l	80.0		104	85-115			
Lead	80.6	1.0	0.10	ug/l	80.0		101	85-115			
Thallium	80.9	1.0	0.15	ug/l	80.0		101	85-115			
Matrix Spike Analyzed: 09/25/2007 (712	4068-MS1)				Sou	ırce: IQI2	054-01				
Antimony	74.0	2.0	0.20	ug/l	80.0	0.858	91	70-130			
Cadmium	75.2	1.0	0.11	ug/l	80.0	0.147	94	70-130			
Copper	90.5	2.0	0.75	ug/l	80.0	9.93	101	70-130			
Lead	88.1	1.0	0.10	ug/l	80.0	8.55	99	70-130			
Thallium	81.2	1.0	0.15	ug/l	80.0	ND	101	70-130			
Matrix Spike Dup Analyzed: 09/25/2007	7 (7I24068-N	ISD1)			Sou	ırce: IQI2	054-01				
Antimony	73.9	2.0	0.20	ug/l	80.0	0.858	91	70-130	0	20	
Cadmium	76.0	1.0	0.11	ug/l	80.0	0.147	95	70-130	1	20	
Copper	92.6	2.0	0.75	ug/l	80.0	9.93	103	70-130	2	20	
Lead	89.4	1.0	0.10	ug/l	80.0	8.55	101	70-130	1	20	
Thallium	82.0	1.0	0.15	ug/l	80.0	ND	102	70-130	1	20	

TestAmerica - Irvine, CA



17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing 618 Michillinda Avenue, Suite 200 Arcadia, CA 91007 Attention: Bronwyn Kelly Project ID: Routine Outfall 009

Report Number: IQI2054

Sampled: 09/22/07 Received: 09/22/07

METHOD BLANK/QC DATA

DISSOLVED METALS

		Reporting			Spike	Source		%REC		RPD	Data
Analyte	Result	Limit	MDL	Units	Level	Result	%REC	Limits	RPD	Limit	Qualifiers
Batch: 7I24099 Extracted: 09/24/07											
Blank Analyzed: 09/25/2007 (7124099-BI	LK1)										
Antimony	ND	2.0	0.20	ug/l							
Cadmium	ND	1.0	0.11	ug/l							
Copper	ND	2.0	0.75	ug/l							
Lead	ND	1.0	0.10	ug/l							
Thallium	ND	1.0	0.15	ug/l							
LCS Analyzed: 09/25/2007 (7124099-BS1)										
Antimony	81.7	2.0	0.20	ug/l	80.0		102	85-115			
Cadmium	82.4	1.0	0.11	ug/l	80.0		103	85-115			
Copper	72.0	2.0	0.75	ug/l	80.0		90	85-115			
Lead	74.9	1.0	0.10	ug/l	80.0		94	85-115			
Thallium	80.2	1.0	0.15	ug/l	80.0		100	85-115			
Matrix Spike Analyzed: 09/25/2007 (7124	4099-MS1)				Sou	ırce: IQI2	054-01				
Antimony	83.3	2.0	0.20	ug/l	80.0	0.779	103	70-130			
Cadmium	81.3	1.0	0.11	ug/l	80.0	ND	102	70-130			
Copper	78.1	2.0	0.75	ug/l	80.0	5.99	90	70-130			
Lead	71.5	1.0	0.10	ug/l	80.0	0.869	88	70-130			
Thallium	78.1	1.0	0.15	ug/l	80.0	ND	98	70-130			
Matrix Spike Dup Analyzed: 09/25/2007	(7I24099-M	(SD1)			Sou	ırce: IQI2	2054-01				
Antimony	84.7	2.0	0.20	ug/l	80.0	0.779	105	70-130	2	20	
Cadmium	83.9	1.0	0.11	ug/l	80.0	ND	105	70-130	3	20	
Copper	83.2	2.0	0.75	ug/l	80.0	5.99	97	70-130	6	20	
Lead	81.6	1.0	0.10	ug/l	80.0	0.869	101	70-130	13	20	
Thallium	79.9	1.0	0.15	ug/l	80.0	ND	100	70-130	2	20	

TestAmerica - Irvine, CA



17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing 618 Michillinda Avenue, Suite 200 Arcadia, CA 91007 Attention: Bronwyn Kelly Project ID: Routine Outfall 009

Report Number: IQI2054

Sampled: 09/22/07 Received: 09/22/07

METHOD BLANK/QC DATA

INORGANICS

		Reporting			Spike	Source		%REC		RPD	Data
Analyte	Result	Limit	MDL	Units	Level	Result	%REC	Limits	RPD	Limit	Qualifiers
Batch: 7I24057 Extracted: 09/24/07											
Blank Analyzed: 09/24/2007 (7124057-BL	.K1)										
Chloride	ND	0.50	0.25	mg/l							
Nitrate/Nitrite-N	ND	0.26	0.15	mg/l							
Sulfate	ND	0.50	0.20	mg/l							
LCS Analyzed: 09/24/2007 (7124057-BS1)										
Chloride	4.85	0.50	0.25	mg/l	5.00		97	90-110			
Sulfate	9.78	0.50	0.20	mg/l	10.0		98	90-110			
Matrix Spike Analyzed: 09/24/2007 (7124	057-MS1)				Sou	ırce: IQI2	2057-01				
Chloride	8.67	0.50	0.25	mg/l	5.00	4.37	86	80-120			
Sulfate	20.5	0.50	0.20	mg/l	10.0	11.3	92	80-120			
Matrix Spike Dup Analyzed: 09/24/2007	(7I24057-M	SD1)			Sou	ırce: IQI2	2057-01				
Chloride	8.64	0.50	0.25	mg/l	5.00	4.37	85	80-120	0	20	
Sulfate	20.5	0.50	0.20	mg/l	10.0	11.3	92	80-120	0	20	
Batch: 7I24104 Extracted: 09/24/07											
Blank Analyzed: 09/24/2007 (7I24104-BI	.K1)										
Total Dissolved Solids	ND	10	10	mg/l							
LCS Analyzed: 09/24/2007 (7I24104-BS1)										
Total Dissolved Solids	998	10	10	mg/l	1000		100	90-110			
Duplicate Analyzed: 09/24/2007 (7124104	-DUP1)				Sou	ırce: IQI1	891-01				
Total Dissolved Solids	359	10	10	mg/l		356			1	10	

TestAmerica - Irvine, CA



17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing 618 Michillinda Avenue, Suite 200 Arcadia, CA 91007 Attention: Bronwyn Kelly Project ID: Routine Outfall 009

Report Number: IQI2054

Sampled: 09/22/07 Received: 09/22/07

METHOD BLANK/QC DATA

INORGANICS

		Reporting			Spike	Source		%REC		RPD	Data
Analyte	Result	Limit	MDL	Units	Level	Result	%REC	Limits	RPD	Limit	Qualifiers
Batch: 7I24119 Extracted: 09/24/07	-										
Blank Analyzed: 09/24/2007 (7I24119-Bl	LK1)										
Total Suspended Solids	ND	10	10	mg/l							
LCS Analyzed: 09/24/2007 (7I24119-BS)	l)										
Total Suspended Solids	1040	10	10	mg/l	1000		104	85-115			
Duplicate Analyzed: 09/24/2007 (7124119	9-DUP1)				Sou	rce: IQI2	064-01				
Total Suspended Solids	ND	10	10	mg/l		ND				10	
Batch: 7125056 Extracted: 09/25/07	-										
Blank Analyzed: 09/25/2007 (7125056-Bl	LK1)										
Oil & Grease	ND	5.0	1.2	mg/l							
LCS Analyzed: 09/25/2007 (7125056-BS1	l)										MNR1
Oil & Grease	20.2	5.0	1.2	mg/l	20.0		101	65-120			
LCS Dup Analyzed: 09/25/2007 (7125050	6-BSD1)										
Oil & Grease	20.0	5.0	1.2	mg/l	20.0		100	65-120	1	20	
Batch: 7J03062 Extracted: 10/03/07	-										
Blank Analyzed: 10/03/2007 (7J03062-B	LK1)										
Perchlorate	ND	4.0	1.5	ug/l							
LCS Analyzed: 10/03/2007 (7J03062-BS	1)										
Perchlorate	51.7	4.0	1.5	ug/l	50.0		103	85-115			

TestAmerica - Irvine, CA



17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing 618 Michillinda Avenue, Suite 200 Arcadia, CA 91007 Attention: Bronwyn Kelly Project ID: Routine Outfall 009

Report Number: IQI2054

Sampled: 09/22/07 Received: 09/22/07

METHOD BLANK/QC DATA

INORGANICS

		Reporting			Spike	Source		%REC		RPD	Data
Analyte	Result	Limit	MDL	Units	Level	Result	%REC	Limits	RPD	Limit	Qualifiers
Batch: 7J03062 Extracto	ed: 10/03/07										
Matrix Spike Analyzed: 10/	03/2007 (7J03062-MS1)				Sou	rce: IQI2	029-08				
Perchlorate	47.0	4.0	1.5	ug/l	50.0	ND	94	80-120			
Matrix Spike Dup Analyzed	l: 10/03/2007 (7J03062-M	SD1)			Sou	rce: IQI2	029-08				
Perchlorate	49.7	4.0	1.5	ug/l	50.0	ND	99	80-120	6	20	

TestAmerica - Irvine, CA



17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing 618 Michillinda Avenue, Suite 200 Arcadia, CA 91007 Attention: Bronwyn Kelly Project ID: Routine Outfall 009

Report Number: IQI2054

Sampled: 09/22/07 Received: 09/22/07

METHOD BLANK/QC DATA

Metals by EPA 200 Series Methods

		Reporting			Spike	Source		%REC		RPD	Data
Analyte	Result	Limit	MDL	Units	Level	Result	%REC	Limits	RPD	Limit	Qualifiers
Batch: W7I1160 Extracted	1: 09/27/07										
Blank Analyzed: 09/27/2007 (V	W7I1160-BLK1)										
Mercury, Dissolved	ND	0.10	0.025	ug/l							
Mercury, Total	ND	0.10	0.025	ug/l							
LCS Analyzed: 09/27/2007 (W	7I1160-BS1)										
Mercury, Dissolved	1.05	0.10	0.025	ug/l	1.00		105	85-115			
Mercury, Total	1.05	0.10	0.025	ug/l	1.00		105	85-115			
Matrix Spike Analyzed: 09/27/	/2007 (W7I1160-MS1)				Sou	ırce: 7092	457-10				
Mercury, Dissolved	1.07	0.10	0.025	ug/l	1.00	ND	107	70-130			
Mercury, Total	1.07	0.10	0.025	ug/l	1.00	ND	107	70-130			
Matrix Spike Analyzed: 09/27/	/2007 (W7I1160-MS2)				Sou	ırce: 7092	457-11				
Mercury, Dissolved	1.04	0.10	0.025	ug/l	1.00	ND	104	70-130			
Mercury, Total	1.04	0.10	0.025	ug/l	1.00	ND	104	70-130			
Matrix Spike Dup Analyzed: (09/27/2007 (W7I1160-N	ISD1)			Sou	ırce: 7092	457-10				
Mercury, Dissolved	1.05	0.10	0.025	ug/l	1.00	ND	105	70-130	2	20	
Mercury, Total	1.05	0.10	0.025	ug/l	1.00	ND	105	70-130	2	20	
Matrix Spike Dup Analyzed: (09/27/2007 (W7I1160-N	ISD2)			Sou	ırce: 7092	457-11				
Mercury, Dissolved	1.04	0.10	0.025	ug/l	1.00	ND	104	70-130	0	20	
Mercury, Total	1.04	0.10	0.025	ug/l	1.00	ND	104	70-130	0	20	

TestAmerica - Irvine, CA



17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing 618 Michillinda Avenue, Suite 200 Arcadia, CA 91007 Attention: Bronwyn Kelly

Report Number: IQI2054

Sampled: 09/22/07 Received: 09/22/07

Compliance Check

Project ID: Routine Outfall 009

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits appear in bold on this page.

						Compliance
LabNumber	Analysis	Analyte	Units	Result	MRL	Limit
IQI2054-01	413.1 Oil and Grease	Oil & Grease	mg/l	1.20	5.0	15
IQI2054-01	Antimony-200.8	Antimony	ug/l	0.86	2.0	6.00
IQI2054-01	Antimony-200.8, Diss	Antimony	ug/l	0.78	2.0	6.00
IQI2054-01	Cadmium-200.8	Cadmium	ug/l	0.15	1.0	4.00
IQI2054-01	Cadmium-200.8, Diss	Cadmium	ug/l	0.076	1.0	4.00
IQI2054-01	Chloride - 300.0	Chloride	mg/l	6.45	0.50	150
IQI2054-01	Copper-200.8	Copper	ug/l	9.93	2.0	14
IQI2054-01	Copper-200.8, Diss	Copper	ug/l	5.99	2.0	14
IQI2054-01	Lead-200.8	Lead	ug/l	8.55	1.0	5.20
IQI2054-01	Lead-200.8, Diss	Lead	ug/l	0.87	1.0	5.20
IQI2054-01	Nitrogen, NO3+NO2 -N	Nitrate/Nitrite-N	mg/l	1.27	0.26	10.00
IQI2054-01	Sulfate-300.0	Sulfate	mg/l	25	0.50	250
IQI2054-01	TDS - SM 2540C	Total Dissolved Solids	mg/l	156	10	850
IQI2054-01	Thallium-200.8	Thallium	ug/l	0.14	1.0	2.00
IQI2054-01	Thallium-200.8, Diss	Thallium	ug/l	0.014	1.0	2.00

TestAmerica - Irvine, CA



17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing 618 Michillinda Avenue, Suite 200 Arcadia, CA 91007 Attention: Bronwyn Kelly Project ID: Routine Outfall 009

Report Number: IQI2054

Sampled: 09/22/07 Received: 09/22/07

DATA QUALIFIERS AND DEFINITIONS

J	Estimated value. Analyte detected at a level less than the Reporting Limit (RL) and greater than or equal to the
MNR1	Method Detection Limit (MDL). The user of this data should be aware that this data is of limited reliability. There was no MS/MSD analyzed with this batch due to insufficient sample volume. See Blank Spike/Blank Spike
ND	Duplicate. Analyte NOT DETECTED at or above the reporting limit or MDL, if MDL is specified.
RPD	Relative Percent Difference

TestAmerica - Irvine, CA



17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/BoeingProject ID: Routine Outfall 009618 Michillinda Avenue, Suite 200Arcadia, CA 91007Arcatia, CA 91007Report Number: IQI2054Attention: Bronwyn KellyArcadia, CA 91007

Sampled: 09/22/07 Received: 09/22/07

Certification Summary

TestAmerica - Irvine, CA

Method	Matrix	Nelac	California
EPA 160.2	Water	Х	Х
EPA 200.8-Diss	Water	Х	Х
EPA 200.8	Water	Х	Х
EPA 300.0	Water	Х	Х
EPA 314.0	Water	N/A	Х
EPA 413.1	Water	Х	Х
SM2540C	Water	Х	Х

Nevada and NELAP provide analyte specific accreditations. Analyte specific information for TestAmerica may be obtained by contacting the laboratory or visiting our website at www.testamericainc.com

Subcontracted Laboratories

Vista Analytical NELAC Cert #02102CA, California Cert #1640, Nevada Cert #CA-413

1104 Windfield Way - El Dorado Hills, CA 95762

Analysis Performed: 1613-Dioxin-HR-Alta Samples: IQI2054-01

Weck Laboratories, Inc

14859 E. Clark Avenue - City of Industry, CA 91745 Method Performed: EPA 245.1

Samples: IQI2054-01

TestAmerica - Irvine, CA

	L
	2
	Ĺ
	(
T	ŀ
ñ	9
0	-
2	(
F	L
\underline{S}	(
	-
	-
	(

S	
Ц И И	
ŭ	
≿	
ö	
F	
Š	
O	
Р	
ž	
A	
H	
3/06	
04/28	
sion	
Ven	
Sal	
ytic	
al	
Ar	
ar	
Σ	
a	1

ent Name/Address: VH-Pasadena North Lake Avenue, Suite 120 adena, CA 91101 ject Manager: Bronwyn Ke ject Manager: Bronwyn Ke ject Manager: Bronwyn Ke ject Manager: Bronwyn Ke ject Manager: Bronwyn Ke scription Matrix Type	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Project: Boeing-SSFL I Routine Outf a Stormwater at	NPDES					ANALY	/SIS REQL	IRED		Г
H-Pasadena Arth Lake Avenue, Suite 120 ena, CA 91101 ena, CA 91101 tit Manager: Bronwyn Ke tit Manager: Bronwyn Ke ler: $\int_{O} U U U U$ ple Sample ption Matrix	1 1 1 000 00 00 00 00 00 00 00 00 00 00	Boeing-SSFL I Routine Outfs Stormwater at	NPDES									
ct Manager: Bronwyn Ke eler: $\int o \dot{c} \dot{c} \dot{c} \dot{\mathcal{U}}$ tple Sample Container iption Matrix Type	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		WS-13		6، TI ۱۳ روزیان	A 413.1)	N-SC		etals: Sb, I		Field readings Temp = $66S$	
nple Sample Container iption Matrix Type	+ of Cont.	Phone Numbe (626) 568-669 Fax Number (626) 568-651	5 -1		Cq' Cn' bp' H	ע (and all cor נ Grease (EPV	0N+EON '7OS	SSI. "	l Dissolved M Cu, Pb, Hg, Ti		pH= 6.89	
		Sampling Date/Time	Preservative	Bottle *) 'qS	0! 8 0! 8	CI-' :	SQT	tota b,bD			
009 W Poly-1L	~-	9.22 0 1 4 4	9 HNO3	1A	×							
1009- W Poly-1L			HNO3	18	×							<u>,</u>
1 009 W Amber-1L			None	2A, 2B		×						
1 009 W Amber-1L	2		HCI	3A, 3B		×						
1 009 W Poly-500	2	/	None	4A,4B			×					
1 009 W Poly-500	2		None	5A, 5B				×				— —
I 009 W Poly-1L	-	Y	None	9					×		Fitter w/in 24hr of receipt at lab	
			-									<u> </u>
						<u> </u>						Т
uished By	Date	e/Time: 7	Received By	all Call	3 I I	te/Time.	- 1 4		342	Turn aroun 24 Hours	d Time: (check) X 5 Days	
tuished By	/zz/	erTime: ? (bo)	Received By	X	Ď	ate/Time:	122/1	, t	1007	48 Hours	10 Days	
quished By	Date	e/Time:	Received By		ä	ate/Time:	* *		ن.	72 Hours	Normal	
										Perchlorate	Only 72 Hours	
										Samola Into	/ /2 Hours	
										Intact \rightarrow	Satiy: (uneck)	<u>ç</u>



October 09, 2007

Vista Project I.D.: 29590

Mr. Nicholas Marz TestAmerica 17461 Derian Ave. Suite 100 Irvine, CA 92614

Dear Mr. Marz,

Enclosed are the results for the one aqueous sample received at Vista Analytical Laboratory on September 25, 2007 under your Project Name "IQI2054". This sample was extracted and analyzed using EPA Method 1613 for tetra-through-octa chlorinated dioxins and furans. A rush turnaround time was provided for this work.

The following report consists of a Sample Inventory (Section I), Analytical Results (Section II) and the Appendix, which contains the chain-of-custody, a list of data qualifiers and abbreviations, Vista's current certifications, and copies of the raw data (if requested).

Vista Analytical Laboratory is committed to serving you effectively. If you require additional information, please contact me at 916-673-1520 or by email at mmaier@vista-analytical.com. Thank you for choosing Vista as part of your analytical support team.

Sincerely,

Martine Mare

Martha M. Maier Laboratory Director



Vista Analytical Laboratory certifies that the report herein meets all the requirements set forth by NELAC for those applicable test methods. Results relate only to the samples as received by the laboratory. This report should not be reproduced except in full without the written approval of Vista Analytical Laboratory.



Section I: Sample Inventory Report Date Received: 9/25/2007

<u>Vista Lab. ID</u>

Client Sample ID

29590-001

IQI2054-01

SECTION II
Method Blan	ık									EPA Method 1613
Matrix:	Aqueous		QC Batch No.:	94	453	Lab S	Sample:	0-MB001		
Sample Size:	1.00 L		Date Extracted	: 6-	Oct-07	Date	Analyzed DB-5:	9-Oct-07	Date An	alyzed DB-225: NA
Analyte	Conc.	(ug/L)	DL ^a	EMPC ^b	Qualifiers		Labeled Standa	rd	%R	LCL-UCL ^d Qualifiers
2,3,7,8-TCDD		ND	0.000000567			<u>IS</u>	13C-2,3,7,8-TCE	DD	100	25 - 164
1,2,3,7,8-PeCI	DD	ND	0.000000789				13C-1,2,3,7,8-Pe	CDD	108	25 - 181
1,2,3,4,7,8-Hx	CDD	ND	0.00000150				13C-1,2,3,4,7,8-1	HxCDD	99.0	32 - 141
1,2,3,6,7,8-Hx	CDD	ND	0.000000769				13C-1,2,3,6,7,8-1	HxCDD	96.9	28 - 130
1,2,3,7,8,9-Hx	CDD	ND	0.000000741				13C-1,2,3,4,6,7,8	3-HpCDD	101	23 - 140
1,2,3,4,6,7,8-H	IpCDD	ND	0.00000168				13C-OCDD		83.7	17 - 157
OCDD		0.0000168			J		13C-2,3,7,8-TCE	D F	106	24 - 169
2,3,7,8-TCDF		ND	0.00000781				13C-1,2,3,7,8-Pe	CDF	112	24 - 185
1,2,3,7,8-PeCI	OF	ND	0.000000768				13C-2,3,4,7,8-Pe	CDF	116	21 - 178
2,3,4,7,8-PeCI	OF	ND	0.000000724				13C-1,2,3,4,7,8-1	HxCDF	87.6	26 - 152
1,2,3,4,7,8-Hx	CDF	ND	0.00000102				13C-1,2,3,6,7,8-I	HxCDF	83.5	26 - 123
1,2,3,6,7,8-Hx	CDF	ND	0.000000993				13C-2,3,4,6,7,8-1	HxCDF	86.7	28 - 136
2,3,4,6,7,8-Hx	CDF	ND	0.00000106				13C-1,2,3,7,8,9-1	HxCDF	86.9	29 - 147
1,2,3,7,8,9-Hx	CDF	ND	0.00000140				13C-1,2,3,4,6,7,8	3-HpCDF	85.5	28 - 143
1,2,3,4,6,7,8-H	IpCDF	ND	0.00000208				13C-1,2,3,4,7,8,9	-HpCDF	91.1	26 - 138
1,2,3,4,7,8,9-Н	IpCDF	ND	0.00000199				13C-OCDF		82.0	17 - 157
OCDF	-	ND	0.00000225			CRS	37Cl-2,3,7,8-TC	DD	88.9	35 - 197
Totals						Foot	notes			
Total TCDD		ND	0.000000567			a. Sam	ple specific estimated of	letection limit.		
Total PeCDD		ND	0.000000789			b. Esti	mated maximum possib	le concentration.		
Total HxCDD		ND	0.00000100			c. Met	hod detection limit.			
Total HpCDD		ND	0.00000168			d. Low	ver control limit - upper	control limit.		
Total TCDF		ND	0.00000781							
Total PeCDF		ND	0.000000746							
Total HxCDF		ND	0.00000112							
Total HpCDF		ND	0.00000204							

OPR Results						EP	A Method 1	1613
Matrix:	Aqueous		QC Batch No.:	9453	Lab Sample: 0-OPR001	_		
Sample Size:	1.00 L		Date Extracted:	6-Oct-07	Date Analyzed DB-5: 8-Oct-07	Date Analy	zed DB-225:	NA
Analyte		Spike Conc.	Conc. (ng/mL)	OPR Limits	Labeled Standard	%R	LCL-UCL	Qualifier
2,3,7,8-TCDD		10.0	9.21	6.7 - 15.8	<u>IS</u> 13C-2,3,7,8-TCDD	93.5	25 - 164	
1,2,3,7,8-PeCI	DD	50.0	49.5	35 - 71	13C-1,2,3,7,8-PeCDD	94.6	25 - 181	
1,2,3,4,7,8-Hx	CDD	50.0	50.1	35 - 82	13C-1,2,3,4,7,8-HxCDD	95.7	32 - 141	
1,2,3,6,7,8-Hx	CDD	50.0	48.2	38 - 67	13C-1,2,3,6,7,8-HxCDD	91.7	28 - 130	
1,2,3,7,8,9-Hx	CDD	50.0	48.0	32 - 81	13C-1,2,3,4,6,7,8-HpCDD	105	23 - 140	
1,2,3,4,6,7,8-H	IpCDD	50.0	49.8	35 - 70	13C-OCDD	102	17 - 157	
OCDD		100	99.0	78 - 144	13C-2,3,7,8-TCDF	92.5	24 - 169	
2,3,7,8-TCDF		10.0	9.46	7.5 - 15.8	13C-1,2,3,7,8-PeCDF	97.9	24 - 185	
1,2,3,7,8-PeCI	OF	50.0	47.2	40 - 67	13C-2,3,4,7,8-PeCDF	93.1	21 - 178	
2,3,4,7,8-PeCI	OF	50.0	48.3	34 - 80	13C-1,2,3,4,7,8-HxCDF	90.3	26 - 152	
1,2,3,4,7,8-Hx	CDF	50.0	51.0	36 - 67	13C-1,2,3,6,7,8-HxCDF	87.1	26 - 123	
1,2,3,6,7,8-Hx	CDF	50.0	49.9	42 - 65	13C-2,3,4,6,7,8-HxCDF	89.5	28 - 136	
2,3,4,6,7,8-Hx	CDF	50.0	50.4	35 - 78	13C-1,2,3,7,8,9-HxCDF	89.9	29 - 147	
1,2,3,7,8,9-Hx	CDF	50.0	49.4	39 - 65	13C-1,2,3,4,6,7,8-HpCDF	91.5	28 - 143	
1,2,3,4,6,7,8-H	IpCDF	50.0	53.6	41 - 61	13C-1,2,3,4,7,8,9-HpCDF	104	26 - 138	
1,2,3,4,7,8,9-H	IpCDF	50.0	50.2	39 - 69	13C-OCDF	97.4	17 - 157	
OCDF		100	99.4	63 - 170	<u>CRS</u> 37Cl-2,3,7,8-TCDD	83.7	35 - 197	

Approved By: Martha M. Maier 09-Oct-2007 13:15

Sample ID: IQI2	2054-01								EPA N	Aethod 1613
Client Data			Sample Data		Lab	oratory Data				
Name: Test	America		Matrix:	Aqueous	Lab	Sample:	29590-001	Date Re	ceived:	25-Sep-07
Project: IQI2	2054 Jon 07		Sample Size:	0.979 L	QC	Batch No.:	9453	Date Ext	tracted:	6-Oct-07
Time Collected: 1249	ep-07				Date	Analyzed DB-5:	8-Oct-07	Date Analyzed DB-225:		NA
Analyte	Conc. (ug/L)	DL ^a	EMPC ^b	Qualifiers		Labeled Standar	rd	%R	LCL-UCL ^d	Qualifiers
2,3,7,8-TCDD	ND	0.000001	52		<u>IS</u>	13C-2,3,7,8-TCD	D	88.8	25 - 164	
1,2,3,7,8-PeCDD	0.00000312			J		13C-1,2,3,7,8-PeC	CDD	92.4	25 - 181	
1,2,3,4,7,8-HxCDD	0.00000477			J		13С-1,2,3,4,7,8-Н	xCDD	80.8	32 - 141	
1,2,3,6,7,8-HxCDD	0.00000913			J		13С-1,2,3,6,7,8-Н	xCDD	79.0	28 - 130	
1,2,3,7,8,9-HxCDD	0.00000827			J		13C-1,2,3,4,6,7,8-	HpCDD	91.7	23 - 140	
1,2,3,4,6,7,8-HpCDD	0.000231					13C-OCDD		82.2	17 - 157	
OCDD	0.00378			В		13C-2,3,7,8-TCDI	F	89.6	24 - 169	
2,3,7,8-TCDF	ND	0.000002	14			13C-1,2,3,7,8-PeC	CDF	96.5	24 - 185	
1,2,3,7,8-PeCDF	ND	0.000002	36			13C-2,3,4,7,8-PeC	CDF	95.4	21 - 178	
2,3,4,7,8-PeCDF	ND	0.000002	31			13С-1,2,3,4,7,8-Н	xCDF	77.2	26 - 152	
1,2,3,4,7,8-HxCDF	ND	0.000003	36			13С-1,2,3,6,7,8-Н	xCDF	72.5	26 - 123	
1,2,3,6,7,8-HxCDF	ND	0.000003	18			13С-2,3,4,6,7,8-Н	xCDF	72.7	28 - 136	
2,3,4,6,7,8-HxCDF	ND	0.000003	40			13С-1,2,3,7,8,9-Н	xCDF	78.1	29 - 147	
1,2,3,7,8,9-HxCDF	ND	0.000004	64			13C-1,2,3,4,6,7,8-	HpCDF	78.7	28 - 143	
1,2,3,4,6,7,8-HpCDF	0.0000425					13C-1,2,3,4,7,8,9-	HpCDF	91.7	26 - 138	
1,2,3,4,7,8,9-HpCDF	ND	0.000005	94			13C-OCDF		81.0	17 - 157	
OCDF	0.000137				CRS	37Cl-2,3,7,8-TCD	D	90.4	35 - 197	
Totals					Foo	otnotes				
Total TCDD	ND	0.000001	52		a. Sa	mple specific estimated	detection limit.			
Total PeCDD	0.00000312				b. Es	stimated maximum possil	ble concentration.			
Total HxCDD	0.0000529		0.00007	53	c. M	ethod detection limit.				
Total HpCDD	0.000659				d. Le	ower control limit - upper	r control limit.			
Total TCDF	ND	0.000002	14							
Total PeCDF	ND		0.00000	854						
Total HxCDF	0.0000326		0.00003	87						
Total HpCDF	0.000109									

APPENDIX

DATA QUALIFIERS & ABBREVIATIONS

B	This compound was also detected in the method blank.
D	Dilution
Р	The amount reported is the maximum possible concentration due to possible chlorinated diphenylether interference.
Н	The signal-to-noise ratio is greater than 10:1.
Ι	Chemical Interference
J	The amount detected is below the Lower Calibration Limit of the instrument.
*	See Cover Letter
Conc.	Concentration
DL	Sample-specific estimated detection limit
MDL	The minimum concentration of a substance that can be measured and reported with 99% confidence that the analyte concentration is greater than zero in the matrix tested.
EMPC	Estimated Maximum Possible Concentration
NA	Not applicable
RL	Reporting Limit – concentrations that correspond to low calibration point
ND	Not Detected
TEQ	Toxic Equivalency

Unless otherwise noted, solid sample results are reported in dry weight. Tissue samples are reported in wet weight.

CERTIFICATIONS

Accrediting Authority	Certificate Number
State of Alaska, DEC	CA413-02
State of Arizona	AZ0639
State of Arkansas, DEQ	05-013-0
State of Arkansas, DOH	Reciprocity through CA
State of California – NELAP Primary AA	02102CA
State of Colorado	
State of Connecticut	PH-0182
State of Florida, DEP	E87777
Commonwealth of Kentucky	90063
State of Louisiana, Health and Hospitals	LA050001
State of Louisiana, DEQ	01977
State of Maine	CA0413
State of Michigan	81178087
State of Mississippi	Reciprocity through CA
Naval Facilities Engineering Service Center	
State of Nevada	CA413
State of New Jersey	CA003
State of New Mexico	Reciprocity through CA
State of New York, DOH	11411
State of North Carolina	06700
State of North Dakota, DOH	R-078
State of Oklahoma	D9919
State of Oregon	CA200001-002
State of Pennsylvania	68-00490
State of South Carolina	87002001
State of Tennessee	02996
State of Texas	TX247-2005A
U.S. Army Corps of Engineers	
State of Utah	9169330940
Commonwealth of Virginia	00013
State of Washington	C1285
State of Wisconsin	998036160
State of Wyoming	8TMS-Q

SUBCONTRACT ORDER

TestAmerica - Irvine, CA

IQI2054

SENDING LABORATOR	<u>r:</u>		RECEIVING L	ONFAL						
TestAmerica - Irvine, C	A		Vista Analyt	ical Laboratory- SUB	29590					
17461 Derian Avenue.	Suite 100		1104 Windfi	A 4ºC/						
Irvine, CA 92614			El Dorado Hills, CA 95762							
Phone: (949) 261-1022			Phone :(916) 673-1520							
Fax: (949) 260-3297			Fax: (916) 673-0106							
Project Manager: Miche	le Chamberlin		Project Loca	ation: California	\bigcirc					
			Receipt Tem	perature: <u>(), 4</u> °C	Ice: X N					
Analysis	Units	Due	Expires	Comment	s					
Sample ID: IQI2054-01	Water		Sampled: 09/22/0	7 12:49 temp=60.8, pH	I=6.89					
1613-Dioxin-HR-Alta	ug/l	09/25/07	09/29/07 12:49	J flags,17 TEQ,ug/L,	congeners,no sub=Vista					

Containers Supplied:

1 L Amber (C) 1 L Amber (D)

Released By

Date/Time

9-24-07/17: n Bettma Spenedict Received By

9/2 Date/Time

Released By

Date/Time

Received By

Date/Time

Page 1 of 1

NPDES-421 Page 10 of 257

Project 29590

SAMPLE LOG-IN CHECKLIST

•

	S	SAMPLE	LOG	G-IN CHE	CKLIST	Г		Y.	Vista Analytical Laboratory
Vista Project #:	2950	90				7	TAT_U	Inst	<u>pecified</u>
Samples Arrival:	Date/Time	- nR2	, ,	Initials:	1B	Lo	ation:	\mathcal{W}	R-2
	9125/01			Shelf/Rack: <u>N/A</u>					
	Date/Time			Initials:		Lo	cation	: h)R-2-
Logged In:	9/25/07 1248			CASA		Shelf/Rack:			
Delivered By:	FedEx	UPS		Cal	DHL	-	Ha Deliv	nd rered	Other
Preservation:	Ace)	Blu	e Ice	Di	ry Ice	e		None
Temp °C	.4	Time:	0	848		The	ermon	neter I	D: IR-1
						•			
Martin Children (1)								YES	NO NA

	and the second	and the second	Construction of the second	20152360002012010000021				
Adequate Sample Volume Recei	ved?				V			
Holding Time Acceptable?					\sim			
Shipping Container(s) Intact?			. 0		\checkmark			
Shipping Custody Seals Intact?					,		\checkmark	
Shipping Documentation Present		\checkmark						
Airbill Trk # 7		V						
Sample Container Intact?		V						
Sample Custody Seals Intact?							\vee	
Chain of Custody / Sample Docu	mentation P	resent?			\checkmark			
COC Anomaly/Sample Acceptan	ice Form con	npleted?				\checkmark		
If Chlorinated or Drinking Water	Samples, Ac	ceptable Prese	ervation?					
Na ₂ S ₂ O ₃ Preservation Documented? COC Sample Container								
Shipping Container	Ret	turn	Dis	oose				
Comments:								

Comments:



Weck Laboratories, Inc.

Analytical Laboratory Services - Since 1964

14859 E. Clark Ave., Industry, CA 91745 Phone 626.336.2139 Fax 626.336.2634 info@wecklabs.com www.wecklabs.com

CERTIFICATE OF ANALYSIS

09/28/07 15:35 TestAmerica, Inc. - Irvine **Client: Report Date:** 09/24/07 09:00 17461 Derian Ave, Suite 100 **Received Date:** Irvine, CA 92614 **Turn Around:** Normal Attention: Nicholas Marz 7092404 Work Order #: Phone: (949) 261-1022 Fax: (949) 260-3297 **Client Project:** IQI2054

NELAP #04229CA ELAP#1132 NEVADA #CA211 HAWAII LACSD #10143

The results in this report apply to the samples analyzed in accordance with the Chain of Custody document. Weck Laboratories, Inc. certifies that the test results meet all NELAC requirements unless noted in the case narrative. This analytical report is confidential and is only intended for the use of Weck Laboratories, Inc. and its client. This report contains the Chain of Custody document, which is an integral part of it, and can only be reproduced in full with the authorization of Weck Laboratories, Inc.

Dear Nicholas Marz :

Enclosed are the results of analyses for samples received 09/24/07 09:00 with the Chain of Custody document. The samples were received in good condition. The samples were received at 2.3 °C and on ice. All analysis met the method criteria except as noted below or in the report with data qualifiers.

Reviewed by: in

Kim G Tu

Project Manager







Report ID: 7092404 Project ID: IQI2054 Weck Laboratories, Inc. 14859 E. Clark Ave. Industry, CA 91745 Phone 626.336.2139 Fax 626.336.2634

Date Received: 09/24/07 09:00 Date Reported: 09/28/07 15:35

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Sampled by:	Sample Comments	Laboratory	Matrix	Date Sampled
IQI2054-01	Client		7092404-01	Water	09/22/07 12:49



Date Received: 09/24/07 09:00 Date Reported: 09/28/07 15:35

Date Sampled:

IQI2054-01	7092404-01	(Water)
------------	------------	---------

Report ID: 7092404

Project ID: IQI2054

r)

09/22/07 12:49

Metals by EPA 200 Series Methods

Analyte	Result	MDL	Units	Reporting Limit	Dilution Factor	Method	Batch Number	Date Prepared	Date Analyzed	Data Qualifiers
Mercury, Dissolved	ND	0.025	ug/l	0.10	1	EPA 245.1	W7I1160	09/27/07	09/27/07	jlp
Mercury, Total	ND	0.025	ug/l	0.10	1	EPA 245.1	W7I1160	09/27/07	09/27/07	jlp



Report ID: 7092404 Project ID: IQI2054 Weck Laboratories, Inc. 14859 E. Clark Ave. Industry, CA 91745 Phone 626.336.2139 Fax 626.336.2634

 Date Received:
 09/24/07 09:00

 Date Reported:
 09/28/07 15:35

QUALITY CONTROL SECTION



Date Received: 09/24/07 09:00 Date Reported: 09/28/07 15:35

Metals by EPA 200 Series Methods - Quality Control

Report ID: 7092404

Project ID: IQI2054

				%REC								
Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers		
Batch W7I1160 - EPA 245.1												
Blank (W7I1160-BLK1)				Analyzed:	09/27/07							
Mercury, Total	ND	0.10	ug/l									
Mercury, Dissolved	ND	0.10	ug/l									
LCS (W7I1160-BS1)				Analyzed:	09/27/07							
Mercury, Total	1.05	0.10	ug/l	1.00		105	85-115					
Mercury, Dissolved	1.05	0.10	ug/l	1.00		105	85-115					
Matrix Spike (W7I1160-MS1)	Soi	urce: 7092457	-10	Analyzed: 09/27/07								
Mercury, Total	1.07	0.10	ug/l	1.00	ND	107	70-130					
Mercury, Dissolved	1.07	0.10	ug/l	1.00	ND	107	70-130					
Matrix Spike (W7I1160-MS2)	Soi	urce: 7092457	-11	Analyzed:	09/27/07							
Mercury, Total	1.04	0.10	ug/l	1.00	ND	104	70-130					
Mercury, Dissolved	1.04	0.10	ug/l	1.00	ND	104	70-130					
Matrix Spike Dup (W7I1160-MSD1)	Soi	urce: 7092457	-10	Analyzed:	09/27/07							
Mercury, Total	1.05	0.10	ug/l	1.00	ND	105	70-130	2	20			
Mercury, Dissolved	1.05	0.10	ug/l	1.00	ND	105	70-130	2	20			
Matrix Spike Dup (W7I1160-MSD2)	Soi	urce: 7092457	-11	Analyzed:	09/27/07							
Mercury, Total	1.04	0.10	ug/l	1.00	ND	104	70-130	0	20			
Mercury, Dissolved	1.04	0.10	ug/l	1.00	ND	104	70-130	0	20			



Report ID: 7092404 Project ID: IQI2054 Weck Laboratories, Inc. 14859 E. Clark Ave. Industry, CA 91745 Phone 626.336.2139 Fax 626.336.2634

Date Received: 09/24/07 09:00 Date Reported: 09/28/07 15:35

Notes and Definitions

- ND NOT DETECTED at or above the Reporting Limit. If J-value reported, then NOT DETECTED at or above the Method Detection Limit (MDL)
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference
- % Rec Percent Recovery
- Sub Subcontracted analysis, original report available upon request
- MDL Method Detection Limit
- MDA Minimum Detectable Activity

Any remaining sample(s) will be disposed of one month from the final report date unless other arrangements are made in advance.

An Absence of Total Coliform meets the drinking water standards as established by the California Department of Health Services.

The Reporting Limit (RL) is referenced as the Laboratory's Practical Quantitation Limit (PQL) or the Detection Limit for Reporting Purposes (DLR).

All samples collected by Weck Laboratories have been sampled in accordance to laboratory SOP Number MIS002.

SUBCONTRACT ORDER

TestAmerica - Irvine, CA

IQI2054

7092404

SENDING LABORATORY:

TestAmerica - Irvine, CA 17461 Derian Avenue. Suite 100 Irvine, CA 92614 Phone: (949) 261-1022 Fax: (949) 260-3297 Project Manager: Michele Chamberlin

RECEIVING LABORATORY:

Weck Laboratories, Inc-SUB 14859 E. Clark Avenue City of Industry, CA 91745 Phone :(626) 336-2139 Fax: (626) 336-2634 Project Location: California Receipt Temperature:_____°C Ice

Ice: Y / N

Analysis	Units	Due	Expires	Comments
Sample ID: IQI2054-01	Water		Sampled: 09/22/07	12:49 temp=60.8, pH=6.89
Level 4 Data Package - W	ec N/A	09/25/07	10/20/07 12:49	
Mercury - 245.1, Diss -OU	iT mg/l	09/25/07	10/20/07 12:49	Weck, Boeing, J flags
Mercury - 245.1-OUT	mg/l	09/25/07	10/20/07 12:49	Weck,Boeing, permit, J flags, if result>ND.call TA
Containers Supplied:	125			
125 mL Poly w/HNO3 (L)	500 mL Poly (M)	y w/HNO3		

12000] .		9/24/7	705
Released By	gate/Time	90 Received By	Date/Time	900
Released By	Date/Time	Received By	Date/Time	Page 1 of 1 NPDES-429

APPENDIX G

Section 11

Outfall 010, September 22, 2007 MEC^X Data Validation Reports

MEC	CONTRACT COMPL	IANCE SCREENING FOR	Package ID	JOI2053
226	0 Fact Vaccar Drive		Task Order	1261 100D 00 001
Suite	500		SDG No	IOI2053
ake	wood CO 80226	No	of Analyses	1
Jan	Laboratory Vista Analy	vtical	Date: Oct 31	2007
	Reviewer F Wessling	, tical	Reviewer? Si	ionstere
	Analysis/Method Dioxins/Fu	rans	Sel-	PAUN
	/ diarysis/ riculou Dioxilis/1 u	14115	19205	Sector and
ACT	TON ITEMS ^a			
	Case Narrative			
	Deficiencies			
2.	Out of Scope			
	Analyses			
3.	Analyses Not Conducted			
4	Missing Handsony			
4.	Deliverables			
	Denverables			
5.	Incorrect Hardcopy			
	Deliverables			
6.	Deviations from Analysis	Qualifications were assigned for	r the following:	
	Protocol, e.g.,			
	Holding Times	- Blank qualifications		
	GC/MS Tune/Inst. Performance			
	Calibration			
	Method blanks			
	Surrogates			
	Matrix Spike/Dup LCS			
	Field QC			
	Internal Standard Performance			
	Compound Identification			
	Quantitation			
	System Performance			
co	MMENTS ^b			

Rev 3 (5/2/00- Ihw) L:\public\dataval\ccsdtrax.frm

Т

CONTRACT COMPLIANCE SCREENING FORM FOR HARDCOPY DATA

ME 122 Aur	C ^X 269 East Vassar Drive rora, CO 80014	Task Order: 1261.100D.00 SDG No.: IQI2053 No. of Analyses: 1
	Laboratory: <u>TesAmer</u> Reviewer: <u>P. Meeks</u> Analysis/Method: <u>Metals</u> , G	ica, Weck Date: October 21, 2007 Reviewer's Signature Ceneral Minerals
ACT	FION ITEMS ^a	
	Case Narrative Deficiencies	
2.	Out of Scope Analyses	
3.	Analyses Not Conducted	
4.	Missing Hardcopy Deliverables	
5.	Incorrect Hardcopy Deliverables	
6. CO	Deviations from Analysis Protocol, e.g., Holding Times GC/MS Tune/Inst. Performance Calibration Method blanks Surrogates Matrix Spike/Dup LCS Field QC Internal Standard Performance Compound Identification Quantitation System Performance MMENTS ^b	Detect below the reporting limit qualified as estimated.
a c	Subcontracted analytical laboratory is not	meeting contract and/or method requirements.
ьг)ifferences in protocol have been adopte	d by the laboratory but no action against the laboratory is required.

^D Differences in protocol have been adopted by the laboratory but no action against the laboratory is required.



DATA VALIDATION REPORT

Boeing SSFL NPDES

SAMPLE DELIVERY GROUP: IQI2053

Prepared by

MEC^x, LLC 12269 East Vassar Drive Aurora, CO 80014

I. INTRODUCTION

Task Order Title:	Boeing SSFL NPDES
Contract Task Order:	1261.100D.00
Sample Delivery Group:	IQI2053
Project Manager:	P. Costa
Matrix:	Water
QC Level:	IV
No. of Samples:	1
No. of Reanalyses/Dilutions:	0
Laboratory:	TestAmerica-Irvine
Matrix: QC Level: No. of Samples: No. of Reanalyses/Dilutions: Laboratory:	Water IV 1 0 TestAmerica-Irvine

Table 1. Sample Identification

Client ID	Laboratory ID	Sub-Laboratory ID	Matrix	Collected	Method
Outfall 010	IQI2053-01	7092403-01	Water	9/22/07 0902	160.2, 314.0, 245.1, 1613

II. Sample Management

No anomalies were observed regarding sample management. The sample in this SDG was received at TestAmerica-Irvine and the sub-laboratory, Weck, within the temperature limits of $4^{\circ}C \pm 2^{\circ}C$. The sample was received at the sub-laboratory, Vista, below the temperature limit at $0.4^{\circ}C$; however, as the sample was not noted to be damaged or frozen, no qualifications were required. According to the case narrative for this SDG, the sample was received intact at all laboratories. The COCs were appropriately signed and dated by field and/or laboratory personnel. As the samples were couriered to TestAmerica-Irvine, custody seals were not required. Custody seals were intact upon arrival at sub-laboratories, Weck and Vista. The client ID was added to the sample result summaries by the reviewer.

Qualifier	Organics	Inorganics
U	The analyte was analyzed for, but was not detected above the reported sample quantitation limit. The associated value is the quantitation limit or the estimated detection limit for dioxins.	The material was analyzed for, but was not detected above the level of the associated value. The associated value is either the sample quantitation limit or the sample detection limit. The associated value is the sample detection limit or the quantitation limit for perchlorate only.
J	The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample.	The associated value is an estimated quantity.
Ν	The analysis indicates the presence of an analyte for which there is presumptive evidence to make a "tentative identification."	Not applicable.
NJ	The analysis indicates the presence of an analyte that has been "tentatively identified" and the associated numerical value represents its approximate concentration.	Not applicable.
UJ	The analyte was not deemed above the reported sample quantitation limit. However, the reported quantitation limit is approximate and may or may not represent the actual limit of quantitation necessary to accurately and precisely measure the analyte in the sample.	The material was analyzed for, but was not detected. The associated value is an estimate and may be inaccurate or imprecise.
R	The data are unusable. The sample results are rejected due to serious deficiencies in the ability to analyze the sample and to meet quality control criteria. The presence or absence of the analyte cannot be verified.	The data are unusable. The sample results are rejected due to serious deficiencies in the ability to analyze the sample and to meet quality control criteria. The presence or absence of the analyte cannot be verified.

Data Qualifier Reference Table

Qualifier	Organics	Inorganics
Н	Holding times were exceeded.	Holding times were exceeded.
S	Surrogate recovery was outside QC limits.	The sequence or number of standards used for the calibration was incorrect
С	Calibration %RSD or %D was noncompliant.	Correlation coefficient is <0.995.
R	Calibration RRF was <0.05.	%R for calibration is not within control limits.
В	Presumed contamination as indicated by the preparation (method) blank results.	Presumed contamination as indicated by the preparation (method) or calibration blank results.
L	Laboratory Blank Spike/Blank Spike Duplicate %R was not within control limits.	Laboratory Control Sample %R was not within control limits.
Q	MS/MSD recovery was poor or RPD high.	MS recovery was poor.
Е	Not applicable.	Duplicates showed poor agreement.
I	Internal standard performance was unsatisfactory.	ICP ICS results were unsatisfactory.
А	Not applicable.	ICP Serial Dilution %D were not within control limits.
М	Tuning (BFB or DFTPP) was noncompliant.	Not applicable.
Т	Presumed contamination as indicated by the trip blank results.	Not applicable.
+	False positive – reported compound was not present.	Not applicable.
-	False negative – compound was present but not reported.	Not applicable.
F	Presumed contamination as indicated by the FB or ER results.	Presumed contamination as indicated by the FB or ER results.
\$	Reported result or other information was incorrect.	Reported result or other information was incorrect.
?	TIC identity or reported retention time has been changed.	Not applicable.

Qualification Code Reference Table

Qualification Code Reference Table Cont.

D	The analysis with this flag should not be used because another more technically sound analysis is available.	The analysis with this flag should not be used because another more technically sound analysis is available.
Ρ	Instrument performance for pesticides was poor.	Post Digestion Spike recovery was not within control limits.
DNQ	The reported result is above the method detection limit but is less than the reporting limit.	The reported result is above the method detection limit but is less than the reporting limit.
* , *	Unusual problems found with the data that have been described in Section II, "Sample Management," or Section III, "Method Analyses." The number following the asterisk (*) will indicate the report section where a description of the problem can be found	Unusual problems found with the data that have been described in Section II, "Sample Management," or Section III, "Method Analyses." The number following the asterisk (*) will indicate the report section where a description of the problem can be found

III. Method Analyses

A. EPA METHOD 1613—Dioxin/Furans

Reviewed By: E. Wessling Date Reviewed: 10/21/2007

The sample listed in Table 1 for this analysis was validated based on the guidelines outlined in the MEC^{X} Data Validation Procedure for Dioxins and Furans (DVP-19, Rev. 0), USEPA Method 1613, and the National Functional Guidelines Chlorinated Dioxin/Furan Data Review (8/02).

- Holding Times: Extraction and analytical holding times were met. The water sample was extracted and analyzed within one year of collection.
- Instrument Performance: Instrument performance criteria were met. Following are findings associated with instrument performance.
 - GC Column Performance: A Windows Defining Mix (WDM) containing the first and last eluting congeners of each descriptor and isomer specificity compounds was not analyzed prior to the initial calibration sequence or at the beginning of each analytical sequence; however, the first and last eluting congeners and isomer specificity compounds were added to the midpoint of the initial calibration and to the continuing calibration standards. No adverse affect was observed with this practice. The GC column performance in the calibrations was acceptable, with the height of the valley between the closely eluting isomers and 2,3,7,8-TCDD reported as less than 25%.
 - Mass Spectrometer Performance: The mass spectrometer performance was acceptable with the static resolving power greater than 10,000.
- Calibration: Calibration criteria were met.
 - Initial Calibration: Initial calibration criteria were met. The initial calibration was acceptable with %RSDs ≤20% for the 16 native compounds (calibration by isotope dilution) and ≤35% for the one native and all labeled compounds (calibration by internal standard). The relative retention times and ion abundance ratios were within the Method 1613 QC limits for all standards.
 - Continuing Calibration: Calibration verification (VER) consisted of a mid-level standard (CS3) analyzed at the beginning of each analytical sequence. The VERs were acceptable with the concentrations within the acceptance criteria listed in Table 6 of EPA Method 1613. The ion abundance ratios and relative retention times were within the method QC limits.

- Blanks: The method blank had a detect for OCDD above the EDL. The concentration reported in Outfall 010 was less than five times the concentration reported in the method blank and was therefore qualified as a nondetect, "U," at the reporting limit.
- Blank Spikes and Laboratory Control Samples: Recoveries were within the acceptance criteria listed in Table 6 of Method 1613.
- Field QC Samples: Field QC samples were evaluated, and if necessary, qualified based on method blanks and other laboratory QC results affecting the usability of the field QC data. Any remaining detects were used to evaluate the associated site samples. Following are findings associated with field QC samples:
 - Field Blanks and Equipment Rinsates: This SDG had no identified field blank or equipment rinsate samples.
 - Field Duplicates: There were no field duplicate samples identified for this SDG.
- Internal Standards Performance: The labeled standard recoveries were within the acceptance criteria listed in Table 7 of Method 1613.
- Compound Identification: Compound identification was verified. The laboratory analyzed for polychlorinated dioxins/furans by EPA Method 1613. No target compounds were detected in the site sample, Outfall 010.
- Compound Quantification and Reported Detection Limits: Compound quantitation was verified by recalculating any sample detects and a representative number of blank spike concentrations. The laboratory calculated and reported compound-specific detection limits. Nondetects are valid to the estimated detection limit (EDL).

B. EPA METHODS 7470A—Mercury

Reviewed By: P. Meeks Date Reviewed: October 21, 2007

The sample listed in Table 1 for this analysis was validated based on the guidelines outlined in the *MEC^X* Data Validation Procedure for Metals (DVP-5, Rev. 0 and DVP-21, Rev. 0), EPA Method 245.1, and the National Functional Guidelines for Inorganic Data Review (2/94).

- Holding Times: The analytical holding time, 28 days for mercury, was met.
- Tuning: As mercury was not analyzed by 6020, mass spectrometer tuning is not applicable.
- Calibration: Calibration criteria were met. Mercury initial calibration r² values were ≥0.995 and all initial and continuing calibration recoveries were within 85-115%.

- Blanks: There were no applicable detects in the method blanks or CCBs.
- Interference Check Samples: As mercury was not analyzed by 6020, the interference check sample is not applicable.
- Blank Spikes and Laboratory Control Samples: The recoveries were within laboratoryestablished QC limits.
- Laboratory Duplicates: No laboratory duplicate analyses were performed.
- Matrix Spike/Matrix Spike Duplicate: No MS/MSD analyses were performed on the sample in this SDG. Method accuracy was evaluated based on LCD results.
- Serial Dilution: No serial dilution analyses were performed.
- Internal Standards Performance: As mercury was not analyzed by 6020, internal standard performance is not applicable.
- Sample Result Verification: Calculations were verified and the sample results reported on the sample result summary were verified against the raw data. No transcription errors or calculation errors were noted. Detects reported below the reporting limit were qualified as estimated and coded with "DNQ," in order to comply with the NPDES permit. Reported nondetects are valid to the MDL.
- Field QC Samples: Field QC samples were evaluated, and if necessary, qualified based on method blanks and other laboratory QC results affecting the usability of the field QC data. Any remaining detects were used to evaluate the associated site samples. Following are findings associated with field QC samples:
 - Field Blanks and Equipment Rinsates: This SDG had no identified field blank or equipment rinsate samples.
 - Field Duplicates: There were no field duplicate samples identified for this SDG.

C. VARIOUS EPA METHODS—General Minerals

Reviewed By: P. Meeks Date Reviewed: October 21, 2007

The sample listed in Table 1 for this analysis was validated based on the guidelines outlined in the MEC^{X} Data Validation Procedure for General Minerals (DVP-6, Rev. 0), EPA Methods 160.2 and 314.0, and the National Functional Guidelines for Inorganic Data Review (2/94).

• Holding Times: The analytical holding times, 7 days for TSS and 28 days for perchlorate, were met.

- Calibration: Calibration criteria were met. Perchlorate initial calibration r² values were ≥0.995 and all initial and continuing calibration, ICCS, and IPC recoveries were within 90-110%. The IPC-MA was recovered within 85-115%.
- Blanks: Method blanks and CCBs had no detects.
- Blank Spikes and Laboratory Control Samples: Recoveries were within laboratoryestablished QC limits.
- Laboratory Duplicates: No laboratory duplicate analyses were performed.
- Matrix Spike/Matrix Spike Duplicate: No MS/MSD analyses were performed on the sample in this SDG. Method accuracy was evaluated based on LCS results.
- Sample Result Verification: Calculations were verified and the sample results reported on the sample result summary were verified against the raw data. No transcription errors or calculation errors were noted. Reported nondetects are valid to the reporting limit.
- Field QC Samples: Field QC samples were evaluated, and if necessary, qualified based on method blanks and other laboratory QC results affecting the usability of the field QC data. Any remaining detects were used to evaluate the associated site samples. Following are findings associated with field QC samples:
 - Field Blanks and Equipment Rinsates: This SDG had no identified field blank or equipment rinsate samples.
 - Field Duplicates: There were no field duplicate samples identified for this SDG.

Sample ID: IQI2	053-01	Du	+66	Q r	010	Service Service				EPA N	Aethod 1613
Client Data Name: Test. Project: IQI2 Date Collected: 22-S Time Collected: 0900	America 053 ep-07		0	Sample Data Matrix: Sample Size:	Aqueous 1.01 L	Laboratory D Lab Sample: QC Batch No. Date Analyzed	9 <u>ata</u> : 1 DB-5:	29589-001 9453 9-Oct-07	Date Re Date Ex Date An	eceived: tracted: alyzed DB-225:	25-Sep-07 6-Oct-07 NA
Analyte	Conc. (ug/L)	DL ^a	EMPC ^b	Qualifiers	Labe	led Stand	ard	%R	LCL-UCL ^d	Qualifiers
2,3,7,8-TCDD	ND	U	0.00000)838		<u>IS</u> 13C-2,	3,7,8-TCI	DD	91.2	25 - 164	
1,2,3,7,8-PeCDD	ND	1	0.00000	0989		13C-1,	2,3,7,8-Pe	CDD	98.8	25 - 181	
1,2,3,4,7,8-HxCDD	ND	•	0.000003	326		13C-1,	2,3,4,7,8-1	HxCDD	88.8	32 - 141	
1,2,3,6,7,8-HxCDD	ND		0.000001	154		13C-1,	2,3,6,7,8-1	HxCDD	80.5	28 - 130	
1,2,3,7,8,9-HxCDD	ND		0.000001	148		13C-1,	2,3,4,6,7,8	3-HpCDD	94.1	23 - 140	
1,2,3,4,6,7,8-HpCDD	ND	V.	0.000002	299		13C-O	CDD		84.8	17 - 157	
OCDD	0.0000	176 U/B			J,B	13C-2,	3,7,8-TCI	DF	89.1	24 - 169	
2,3,7,8-TCDF	ND	U	0.000000)991		13C-1,	2,3,7,8-Pe	CDF	97.8	24 - 185	
1,2,3,7,8-PeCDF	ND	1	0.000001	101		13C-2,3,4,7,8-PeCDF		98.5	21 - 178		
2,3,4,7,8-PeCDF	ND		0.000000	970		13C-1,2,3,4,7,8-HxCDF		75.7	26 - 152		
1,2,3,4,7,8-HxCDF	ND		0.000001	154		13C-1,2,3,6,7,8-HxCDF		75.1	26 - 123		
1,2,3,6,7,8-HxCDF	ND		0.000001	48		13C-2,	3,4,6,7,8-1	HxCDF	73.8	28 - 136	
2,3,4,6,7,8-HxCDF	ND		0.000001	67		13C-1,	2,3,7,8,9-1	HxCDF	76.8	29 - 147	
1,2,3,7,8,9-HxCDF	ND		0.000002	232		13C-1,	2,3,4,6,7,8	-HpCDF	77.8	28 - 143	
1.2.3.4.6.7.8-HpCDF	ND	100	0.000002	292		13C-1,	2,3,4,7,8,9	-HpCDF	86.1	26 - 138	
1,2,3,4,7,8,9-HpCDF	ND		0.000002	272		13C-OCDF		79.8	17 - 157		
OCDF	ND	4	0.000002	.95		CRS 37C1-2	,3,7,8-TCI	DD	97.3	35 - 197	
Totals						Footnotes					
Total TCDD	ND	U	0.000000	0838		a. Sample speci	ific estimated	I detection limit.			
Total PeCDD	ND	1	0.000000	989		b. Estimated m	aximum poss	ible concentration.			
Total HxCDD	ND		0.000002	:09		c. Method deter	ction limit.				
Total HpCDD	ND		0.000002	99		d. Lower contro	ol limit - upp	er control limit.			
Total TCDF	ND		0.000000	9991							
Total PeCDF	ND		0.000000	990							
Total HxCDF	ND		0.000001	75							
Total HnCDF	ND	V	0.000002	.82							

Approved By: W Lexel IV

William J. Luksemburg 09-Oct-2007 13:19



Weck Laboratories, Inc. 14859 E. Clark Ave. Industry, CA 91745 Phone 626.336.2139 Fax 626.336.2634

Date Received: 09/24/07 09:00 Date Reported: 09/28/07 15:38



Report ID: 7092403

Project ID: IQI2053

Date Sampled: 09/22/07 09:00

Metals by EPA 200 Series Methods

Analyte	Result	MDL	Units	Reporting Limit	Dilution Factor	Method	Batch Number	Date Prepared	Date Analyzed		Data Qualifiers
Mercury, Dissolved JDNQ	0.041	0.025	ug/Ì	0.10	1 [.]	EPA 245.1	W7I1130	09/26/07	09/27/07	jlp	ſ
Mercury, Total	ND	0.025	ug/Ì	0.10	1	EPA 245.1	W7I1130	09/26/07	09/27/07	jlp	

LEVEL IV

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

EVEL IV

17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax: (949) 260-3297

MWH-Pasadena/Boeing 618 Michillinda Avenue, Suite 200 Arcadia, CA 91007 Attention: Bronwyn Kelly	Repor	Project ID: 1 Number:	Routine Outfall 010 IQI2053				Sampled: Received:	09/22/07 09/22/07		
INORGANICS										
Analyte	Method	Batch	MDL Limit	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers	
Sample ID: IOI2053-01 (Outfall 010 - W	iter) - cont.									

Sumpre and C					,					
Reporting Units: mg/l Chloride Nitrate/Nitrite-N Oil & Grease Sulfate Total Dissolved Solids Total Suspended Solids	×	EPA 300.0 EPA 300.0 EPA 413.1 EPA 300.0 SM2540C EPA 160:2	7124057 7124057 7125056 7124057 7127118 7125131	5.0 0.15 1.1 0.20 10	10 0.26 4.7 0.50 10 10	150 1.0 1.3 50 590 ND	20 1 1 1 1	09/24/07 09/24/07 09/25/07 09/24/07 09/27/07 09/25/07	09/24/07 09/24/07 09/25/07 09/24/07 09/27/07 09/25/07	H Ja
Sample ID: IQI2053-01 (Outf Reporting Units: ug/ Perchlorate	all 010 - Wa	EPA 314.0	7J03062	1.5	4.0 × Anal	ND YSIS M	1 of V	10/03/07 alidate	10/03/07	

TestAmerica - Irvine, CA

Joseph Doak Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

IQI2053 <Page 4 of 15>

٦

APPENDIX G

Section 12

Outfall 010, September 22, 2007 Test America Analytical Laboratory Report

<u>TestAmerica</u>

THE LEADER IN ENVIRONMENTAL TESTING

LABORATORY REPORT

Prepared For: MWH-Pasadena/Boeing 618 Michillinda Avenue, Suite 200 Arcadia, CA 91007 Attention: Bronwyn Kelly Project: Routine Outfall 010

Sampled: 09/22/07 Received: 09/22/07 Issued: 10/16/07 09:20

NELAP #01108CA California ELAP#1197 CSDLAC #10256

The results listed within this Laboratory Report pertain only to the samples tested in the laboratory. The analyses contained in this report were performed in accordance with the applicable certifications as noted. All soil samples are reported on a wet weight basis unless otherwise noted in the report. This Laboratory Report is confidential and is intended for the sole use of TestAmerica and its client. This report shall not be reproduced, except in full, without written permission from TestAmerica. The Chain of Custody, 1 page, is included and

is an integral part of this report.

This entire report was reviewed and approved for release.

SAMPLE CROSS REFERENCE

SUBCONTRACTED: Refer to the last page for specific subcontract laboratory information included in this report.

LABORATORY ID

IQI2053-01

CLIENT ID Outfall 010 MATRIX Water

Reviewed By:

Joseph Dock

TestAmerica - Irvine, CA Joseph Doak Project Manager



Attention: Bronwyn Kelly

17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing	Project ID: Routine Outfall 010	
618 Michillinda Avenue, Suite 200		Sampled: 09/22/07
Arcadia, CA 91007	Report Number: IQI2053	Received: 09/22/07

METALS MDL Data Reporting Sample Dilution Date Date Factor Extracted Analyzed Analyte Method Batch Limit Limit Result Qualifiers Sample ID: IQI2053-01 (Outfall 010 - Water) Reporting Units: ug/l 0.20 0.57 09/25/07 Antimony EPA 200.8 7I25136 2.0 1 09/26/07 Ja Cadmium EPA 200.8 7I25136 0.11 1.0 ND 1 09/25/07 09/26/07 Copper EPA 200.8 7I25136 0.75 2.0 ND 09/25/07 09/26/07 1 Lead EPA 200.8 7125136 0.10 1.0 ND 1 09/25/07 09/26/07 Thallium 7I25136 ND 09/25/07 09/26/07 EPA 200.8 0.15 1.0 1

TestAmerica - Irvine, CA

Joseph Doak Project Manager



17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing 618 Michillinda Avenue, Suite 200 Arcadia, CA 91007 Attention: Bronwyn Kelly Project ID: Routine Outfall 010

Report Number: IQI2053

Sampled: 09/22/07 Received: 09/22/07

DISSOLVED METALS									
Analyte	Method	Batch	MDL Limit	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IQI2053-01 (Outfall 010 Reporting Units: ug/l	- Water) - cont.								
Antimony	EPA 200.8-Diss	7I24137	0.20	2.0	0.63	1	09/24/07	09/25/07	Ja
Cadmium	EPA 200.8-Diss	7I24137	0.11	1.0	ND	1	09/24/07	09/25/07	
Copper	EPA 200.8-Diss	7I24137	0.75	2.0	ND	1	09/24/07	09/25/07	
Lead	EPA 200.8-Diss	7I24137	0.10	1.0	0.16	1	09/24/07	09/25/07	Ja
Thallium	EPA 200.8-Diss	7I24137	0.15	1.0	ND	1	09/24/07	09/25/07	

TestAmerica - Irvine, CA



17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing 618 Michillinda Avenue, Suite 200 Arcadia, CA 91007 Attention: Bronwyn Kelly Project ID: Routine Outfall 010

Report Number: IQI2053

Sampled: 09/22/07 Received: 09/22/07

INORGANICS									
Analyte	Method	Batch	MDL Limit	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IQI2053-01 (Outfall 010	0 - Water) - cont.								
Reporting Units: mg/l									
Chloride	EPA 300.0	7I24057	5.0	10	150	20	09/24/07	09/24/07	
Nitrate/Nitrite-N	EPA 300.0	7I24057	0.15	0.26	1.0	1	09/24/07	09/24/07	Н
Oil & Grease	EPA 413.1	7125056	1.1	4.7	1.3	1	09/25/07	09/25/07	Ja
Sulfate	EPA 300.0	7I24057	0.20	0.50	50	1	09/24/07	09/24/07	
Total Dissolved Solids	SM2540C	7I27118	10	10	590	1	09/27/07	09/27/07	
Total Suspended Solids	EPA 160.2	7125131	10	10	ND	1	09/25/07	09/25/07	
Sample ID: IQI2053-01 (Outfall 010	0 - Water)								
Reporting Units: ug/l									
Perchlorate	EPA 314.0	7J03062	1.5	4.0	ND	1	10/03/07	10/03/07	

TestAmerica - Irvine, CA

Joseph Doak Project Manager



17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing 618 Michillinda Avenue, Suite 200 Arcadia, CA 91007 Attention: Bronwyn Kelly

Report Number: IQI2053

Sampled: 09/22/07 Received: 09/22/07

Metals by EPA 200 Series Methods Data MDL Reporting Sample Dilution Date Date Analyte Method Batch Limit Limit Result Factor Extracted Analyzed Qualifiers Sample ID: IQI2053-01 (Outfall 010 - Water) - cont. Reporting Units: ug/l Mercury, Dissolved EPA 245.1 W7I1130 0.025 0.10 0.041 1 09/26/07 09/27/07 J Mercury, Total EPA 245.1 W7I1130 0.025 0.10 ND 1 09/26/07 09/27/07

Project ID: Routine Outfall 010

TestAmerica - Irvine, CA


17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing 618 Michillinda Avenue, Suite 200 Arcadia, CA 91007 Attention: Bronwyn Kelly Project ID: Routine Outfall 010

Report Number: IQI2053

Sampled: 09/22/07 Received: 09/22/07

SHORT HOLD TIME DETAIL REPORT

	Hold Time (in days)	Date/Time Sampled	Date/Time Received	Date/Time Extracted	Date/Time Analyzed
Sample ID: Outfall 010 (IQI2053-01) - Water					
EPA 300.0	2	09/22/2007 09:00	09/22/2007 16:05	09/24/2007 07:00	09/24/2007 11:01

TestAmerica - Irvine, CA



17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing 618 Michillinda Avenue, Suite 200 Arcadia, CA 91007 Attention: Bronwyn Kelly Project ID: Routine Outfall 010

Report Number: IQI2053

Sampled: 09/22/07 Received: 09/22/07

METHOD BLANK/QC DATA

METALS

		Reporting			Spike	Source		%REC		RPD	Data
Analyte	Result	Limit	MDL	Units	Level	Result	%REC	Limits	RPD	Limit	Qualifiers
Batch: 7I25136 Extracted: 09/25/07	-										
Blank Analyzed: 09/26/2007 (7I25136-Bl	L K1)										
Antimony	ND	2.0	0.20	ug/l							
Cadmium	ND	1.0	0.11	ug/l							
Copper	ND	2.0	0.75	ug/l							
Lead	ND	1.0	0.10	ug/l							
Thallium	ND	1.0	0.15	ug/l							
LCS Analyzed: 09/26/2007 (7125136-BS1)										
Antimony	83.2	2.0	0.20	ug/l	80.0		104	85-115			
Cadmium	81.4	1.0	0.11	ug/l	80.0		102	85-115			
Copper	83.8	2.0	0.75	ug/l	80.0		105	85-115			
Lead	80.5	1.0	0.10	ug/l	80.0		101	85-115			
Thallium	84.6	1.0	0.15	ug/l	80.0		106	85-115			
Matrix Spike Analyzed: 09/26/2007 (712	5136-MS1)				Sou	ırce: IQI2	2053-01				
Antimony	83.3	2.0	0.20	ug/l	80.0	0.569	103	70-130			
Cadmium	78.0	1.0	0.11	ug/l	80.0	ND	98	70-130			
Copper	80.0	2.0	0.75	ug/l	80.0	ND	100	70-130			
Lead	76.1	1.0	0.10	ug/l	80.0	ND	95	70-130			
Thallium	80.4	1.0	0.15	ug/l	80.0	ND	100	70-130			
Matrix Spike Analyzed: 09/26/2007 (712	5136-MS2)				Sou	urce: IQI1	869-04				
Antimony	81.3	2.0	0.20	ug/l	80.0	0.881	101	70-130			
Cadmium	73.3	1.0	0.11	ug/l	80.0	ND	92	70-130			
Copper	82.3	2.0	0.75	ug/l	80.0	5.95	95	70-130			
Lead	70.4	1.0	0.10	ug/l	80.0	0.706	87	70-130			
Thallium	70.7	1.0	0.15	ug/l	80.0	ND	88	70-130			
Matrix Spike Dup Analyzed: 09/26/2007	(7I25136-M	ISD1)			Sou	irce: IQI2	2053-01				
Antimony	82.0	2.0	0.20	ug/l	80.0	0.569	102	70-130	2	20	
Cadmium	77.3	1.0	0.11	ug/l	80.0	ND	97	70-130	1	20	
Copper	78.7	2.0	0.75	ug/l	80.0	ND	98	70-130	2	20	
Lead	73.0	1.0	0.10	ug/l	80.0	ND	91	70-130	4	20	
Thallium	77.8	1.0	0.15	ug/l	80.0	ND	97	70-130	3	20	

TestAmerica - Irvine, CA



17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing 618 Michillinda Avenue, Suite 200 Arcadia, CA 91007 Attention: Bronwyn Kelly Project ID: Routine Outfall 010

Report Number: IQI2053

Sampled: 09/22/07 Received: 09/22/07

METHOD BLANK/QC DATA

DISSOLVED METALS

		Reporting			Spike	Source		%REC		RPD	Data
Analyte	Result	Limit	MDL	Units	Level	Result	%REC	Limits	RPD	Limit	Qualifiers
Batch: 7I24137 Extracted: 09/24/07											
Blank Analyzed: 09/25/2007 (7I24137-BI	.K1)										
Antimony	ND	2.0	0.20	ug/l							
Cadmium	ND	1.0	0.11	ug/l							
Copper	ND	2.0	0.75	ug/l							
Lead	ND	1.0	0.10	ug/l							
Thallium	ND	1.0	0.15	ug/l							
LCS Analyzed: 09/25/2007 (7124137-BS1)										
Antimony	85.3	2.0	0.20	ug/l	80.0		107	85-115			
Cadmium	87.6	1.0	0.11	ug/l	80.0		110	85-115			
Copper	78.2	2.0	0.75	ug/l	80.0		98	85-115			
Lead	81.2	1.0	0.10	ug/l	80.0		102	85-115			
Thallium	80.8	1.0	0.15	ug/l	80.0		101	85-115			
Matrix Spike Analyzed: 09/25/2007 (7124	137-MS1)				Sou	irce: IQI2	2053-01				
Antimony	88.1	2.0	0.20	ug/l	80.0	0.630	109	70-130			
Cadmium	83.8	1.0	0.11	ug/l	80.0	ND	105	70-130			
Copper	76.1	2.0	0.75	ug/l	80.0	ND	95	70-130			
Lead	80.5	1.0	0.10	ug/l	80.0	0.157	100	70-130			
Thallium	79.5	1.0	0.15	ug/l	80.0	ND	99	70-130			
Matrix Spike Dup Analyzed: 09/25/2007	(7I24137-M	ISD1)			Sou	irce: IQI2	2053-01				
Antimony	88.4	2.0	0.20	ug/l	80.0	0.630	110	70-130	0	20	
Cadmium	83.0	1.0	0.11	ug/l	80.0	ND	104	70-130	1	20	
Copper	75.5	2.0	0.75	ug/l	80.0	ND	94	70-130	1	20	
Lead	80.1	1.0	0.10	ug/l	80.0	0.157	100	70-130	1	20	
Thallium	79.4	1.0	0.15	ug/l	80.0	ND	99	70-130	0	20	

TestAmerica - Irvine, CA



17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing 618 Michillinda Avenue, Suite 200 Arcadia, CA 91007 Attention: Bronwyn Kelly Project ID: Routine Outfall 010

Report Number: IQI2053

Sampled: 09/22/07 Received: 09/22/07

METHOD BLANK/QC DATA

INORGANICS

		Reporting			Spike	Source		%REC		RPD	Data
Analyte	Result	Limit	MDL	Units	Level	Result	%REC	Limits	RPD	Limit	Qualifiers
Batch: 7I24057 Extracted: 09/24/07											
Blank Analyzed: 09/24/2007 (7124057-BL	.K1)										
Chloride	ND	0.50	0.25	mg/l							
Nitrate/Nitrite-N	ND	0.26	0.15	mg/l							
Sulfate	ND	0.50	0.20	mg/l							
LCS Analyzed: 09/24/2007 (7124057-BS1)										
Chloride	4.85	0.50	0.25	mg/l	5.00		97	90-110			
Sulfate	9.78	0.50	0.20	mg/l	10.0		98	90-110			
Matrix Spike Analyzed: 09/24/2007 (7124	057-MS1)				Sou	irce: IQI2	2057-01				
Chloride	8.67	0.50	0.25	mg/l	5.00	4.37	86	80-120			
Sulfate	20.5	0.50	0.20	mg/l	10.0	11.3	92	80-120			
Matrix Spike Dup Analyzed: 09/24/2007	(7I24057-M	SD1)			Sou	irce: IQI2	2057-01				
Chloride	8.64	0.50	0.25	mg/l	5.00	4.37	85	80-120	0	20	
Sulfate	20.5	0.50	0.20	mg/l	10.0	11.3	92	80-120	0	20	
Batch: 7125056 Extracted: 09/25/07											
Blank Analyzed: 09/25/2007 (7125056-BL	.K1)										
Oil & Grease	ND	5.0	1.2	mg/l							
LCS Analyzed: 09/25/2007 (7I25056-BS1)										MNR1
Oil & Grease	20.2	5.0	1.2	mg/l	20.0		101	65-120			
LCS Dup Analyzed: 09/25/2007 (7125056	-BSD1)										
Oil & Grease	20.0	5.0	1.2	mg/l	20.0		100	65-120	1	20	

TestAmerica - Irvine, CA



17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing 618 Michillinda Avenue, Suite 200 Arcadia, CA 91007 Attention: Bronwyn Kelly Project ID: Routine Outfall 010

Report Number: IQI2053

Sampled: 09/22/07 Received: 09/22/07

METHOD BLANK/QC DATA

INORGANICS

		Reporting			Spike	Source		%REC		RPD	Data
Analyte	Result	Limit	MDL	Units	Level	Result	%REC	Limits	RPD	Limit	Qualifiers
Batch: 7I25131 Extracted: 09/25	5/07										
Blank Analyzed: 09/25/2007 (712513	31-BLK1)										
Total Suspended Solids	ND	10	10	mg/l							
LCS Analyzed: 09/25/2007 (7125131	-BS1)										
Total Suspended Solids	1060	10	10	mg/l	1000		106	85-115			
Duplicate Analyzed: 09/25/2007 (712	25131-DUP1)				Sou	rce: IQI1	885-01				
Total Suspended Solids	30.0	10	10	mg/l		28.0			7	10	
Batch: 7I27118 Extracted: 09/27	7/07										
Blank Analyzed: 09/27/2007 (712711	8-BLK1)										
Total Dissolved Solids	ND	10	10	mg/l							
LCS Analyzed: 09/27/2007 (7127118	-BS1)										
Total Dissolved Solids	998	10	10	mg/l	1000		100	90-110			
Duplicate Analyzed: 09/27/2007 (712	27118-DUP1)				Sou	rce: IQI2	053-01				
Total Dissolved Solids	589	10	10	mg/l		588			0	10	
Batch: 7J03062 Extracted: 10/0	3/07										
Blank Analyzed: 10/03/2007 (7J0300	62-BLK1)										
Perchlorate	ND	4.0	1.5	ug/l							
LCS Analyzed: 10/03/2007 (7J03062	2-BS1)										
Perchlorate	51.7	4.0	1.5	ug/l	50.0		103	85-115			

TestAmerica - Irvine, CA



17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing 618 Michillinda Avenue, Suite 200 Arcadia, CA 91007 Attention: Bronwyn Kelly Project ID: Routine Outfall 010

Report Number: IQI2053

Sampled: 09/22/07 Received: 09/22/07

METHOD BLANK/QC DATA

INORGANICS

		Reporting			Spike	Source		%REC		RPD	Data
Analyte	Result	Limit	MDL	Units	Level	Result	%REC	Limits	RPD	Limit	Qualifiers
Batch: 7J03062 Extracto	ed: 10/03/07										
Matrix Spike Analyzed: 10/	03/2007 (7J03062-MS1)				Sou	rce: IQI2	029-08				
Perchlorate	47.0	4.0	1.5	ug/l	50.0	ND	94	80-120			
Matrix Spike Dup Analyzed	l: 10/03/2007 (7J03062-M	SD1)			Sou	rce: IQI2	029-08				
Perchlorate	49.7	4.0	1.5	ug/l	50.0	ND	99	80-120	6	20	

TestAmerica - Irvine, CA



17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing 618 Michillinda Avenue, Suite 200 Arcadia, CA 91007 Attention: Bronwyn Kelly Project ID: Routine Outfall 010

Report Number: IQI2053

Sampled: 09/22/07 Received: 09/22/07

METHOD BLANK/QC DATA

Metals by EPA 200 Series Methods

		Reporting			Spike	Source		%REC		RPD	Data
Analyte	Result	Limit	MDL	Units	Level	Result	%REC	Limits	RPD	Limit	Qualifiers
Batch: W7I1130 Extracted	1: 09/26/07										
Blank Analyzed: 09/27/2007 (W7I1130-BLK1)										
Mercury, Dissolved	ND	0.10	0.025	ug/l							
Mercury, Total	ND	0.10	0.025	ug/l							
LCS Analyzed: 09/27/2007 (W	7I1130-BS1)										
Mercury, Dissolved	0.966	0.10	0.025	ug/l	1.00		97	85-115			
Mercury, Total	0.966	0.10	0.025	ug/l	1.00		97	85-115			
Matrix Spike Analyzed: 09/27	/2007 (W7I1130-MS1)				Sou	ırce: 7092	108-05				
Mercury, Dissolved	0.988	0.10	0.025	ug/l	1.00	ND	99	70-130			
Mercury, Total	0.988	0.10	0.025	ug/l	1.00	ND	99	70-130			
Matrix Spike Analyzed: 09/27	/2007 (W7I1130-MS2)				Sou	ırce: 7092	108-06				
Mercury, Dissolved	0.929	0.10	0.025	ug/l	1.00	ND	93	70-130			
Mercury, Total	0.929	0.10	0.025	ug/l	1.00	ND	93	70-130			
Matrix Spike Dup Analyzed: (09/27/2007 (W7I1130-N	ISD1)			Sou	ırce: 7092	108-05				
Mercury, Dissolved	0.982	0.10	0.025	ug/l	1.00	ND	98	70-130	1	20	
Mercury, Total	0.982	0.10	0.025	ug/l	1.00	ND	98	70-130	1	20	
Matrix Spike Dup Analyzed: (09/27/2007 (W7I1130-N	1SD2)			Sou	ırce: 7092	108-06				
Mercury, Dissolved	0.930	0.10	0.025	ug/l	1.00	ND	93	70-130	0	20	
Mercury, Total	0.930	0.10	0.025	ug/l	1.00	ND	93	70-130	0	20	

TestAmerica - Irvine, CA



17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing 618 Michillinda Avenue, Suite 200 Arcadia, CA 91007 Attention: Bronwyn Kelly

Report Number: IQI2053

Sampled: 09/22/07 Received: 09/22/07

Compliance Check

Project ID: Routine Outfall 010

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits appear in bold on this page.

				D		Compliance
LabNumber	Analysis	Analyte	Units	Result	MRL	Limit
IQI2053-01	413.1 Oil and Grease	Oil & Grease	mg/l	1.32	4.7	15
IQI2053-01	Antimony-200.8	Antimony	ug/l	0.57	2.0	6.00
IQI2053-01	Antimony-200.8, Diss	Antimony	ug/l	0.63	2.0	6.00
IQI2053-01	Cadmium-200.8	Cadmium	ug/l	0.050	1.0	4.00
IQI2053-01	Cadmium-200.8, Diss	Cadmium	ug/l	0.077	1.0	4.00
IQI2053-01	Chloride - 300.0	Chloride	mg/l	148	10	150
IQI2053-01	Copper-200.8	Copper	ug/l	0.63	2.0	14
IQI2053-01	Copper-200.8, Diss	Copper	ug/l	0.55	2.0	14
IQI2053-01	Lead-200.8	Lead	ug/l	0.049	1.0	5.20
IQI2053-01	Lead-200.8, Diss	Lead	ug/l	0.16	1.0	5.20
IQI2053-01	Nitrogen, NO3+NO2 -N	Nitrate/Nitrite-N	mg/l	1.05	0.26	10.00
IQI2053-01	Sulfate-300.0	Sulfate	mg/l	50	0.50	250
IQI2053-01	TDS - SM 2540C	Total Dissolved Solids	mg/l	588	10	850
IQI2053-01	Thallium-200.8	Thallium	ug/l	0.088	1.0	2.00
IQI2053-01	Thallium-200.8, Diss	Thallium	ug/l	0.067	1.0	2.00



17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/Boeing 618 Michillinda Avenue, Suite 200 Arcadia, CA 91007 Attention: Bronwyn Kelly Project ID: Routine Outfall 010

Report Number: IQI2053

Sampled: 09/22/07 Received: 09/22/07

DATA QUALIFIERS AND DEFINITIONS

H Sample analysis performed past method-specified holding time.

J Detected but below the Reporting Limit; therefore, result is an estimated concentration (CLP J-Flag).

- Ja Estimated value. Analyte detected at a level less than the Reporting Limit (RL) and greater than or equal to the Method Detection Limit (MDL). The user of this data should be aware that this data is of limited reliability.
- MNR1 There was no MS/MSD analyzed with this batch due to insufficient sample volume. See Blank Spike/Blank Spike Duplicate.
- ND Analyte NOT DETECTED at or above the reporting limit or MDL, if MDL is specified.
- **RPD** Relative Percent Difference

TestAmerica - Irvine, CA



17461 Derian Avenue. Suite 100, Irvine, CA 92614 (949) 261-1022 Fax:(949) 260-3297

MWH-Pasadena/BoeingProject ID:Routine Outfall 010618 Michillinda Avenue, Suite 200Sampled:09/22/07Arcadia, CA 91007Report Number:IQI2053Received:09/22/07Attention:Bronwyn KellySampled:09/22/07

Certification Summary

TestAmerica - Irvine, CA

Method	Matrix	Nelac	California
EPA 160.2	Water	Х	Х
EPA 200.8-Diss	Water	Х	Х
EPA 200.8	Water	Х	Х
EPA 300.0	Water	Х	Х
EPA 314.0	Water	N/A	Х
EPA 413.1	Water	Х	Х
SM2540C	Water	Х	Х

Nevada and NELAP provide analyte specific accreditations. Analyte specific information for TestAmerica may be obtained by contacting the laboratory or visiting our website at www.testamericainc.com

Subcontracted Laboratories

Vista Analytical NELAC Cert #02102CA, California Cert #1640, Nevada Cert #CA-413

1104 Windfield Way - El Dorado Hills, CA 95762

Analysis Performed: 1613-Dioxin-HR-Alta Samples: IQI2053-01

Weck Laboratories, Inc

14859 E. Clark Avenue - City of Industry, CA 91745 Method Performed: EPA 245.1

Samples: IQI2053-01

TestAmerica - Irvine, CA

7762 Page 1 of 1		Field readings. Temp = 33	pH= 7. 92	Comments							Filter w/in 24hr of receipt				around Time: (check)	urs 10 Days urs Normal	lorate Only 72 Hours	s Only 72 Hours	le Inegrith: (Check) On Ice:
L 07:	ANALY SIS REQUIRED	.d2 :slst9	M bəvlosa Pb, H, d Pa, Tl	DS, TS otal Dia d, Cu,	L C C					×	×				13 4 C 24 Hou	12 Ho	Perchi	Metals	Sampl
) DY FORM		9, TI 9, TI ∆ 413.1) A 413.1)	t, NO3+NG ease (EP/ ease (EP/	otal Rec D, Cd, ill & Gr		× ×	×	×	×						Date/Time:	Date/Time:	Bate/Time:		
TRT 2053		1 203		rvative Bottle *	2 #	1A 1B	2A, 2B	3A, 3B	4A, 4B	5A, 5B	۵				Jed By D		/ed By		
04/28/06 CHAIN 0	Project:	Boeing-SSFL NPDES Routine Outfall 010 Stormwater at Building	Phone Number: 626) 568-6691 Fax Number:	S20) 508-6515 Sampling Prese	Date/Time	7-2-2 / CH CHINO3	None	HCI	None	None	None				e/Time: Recei	PITIME, Recei	e/Time: Recei		
alytical version	SS:	a	Bronwyn Kelly F	Container # of	Type Cont.	Poly-1L 1 C	Amber-1L 2	Amber-1L 2	Poly-500 2 ml	Poly-500 2 ml	Poly-1L 1				P-22	$\int \int \int \frac{Dat}{\zeta_{1}}$	Date		
Del Mar An	Client Name/Addre	MVH-Pasaden 300 North Lake Aver Pasadena, CA 9110	Project Manager: Sampler:	Sample Sample	Description Matrix	Outfall 010 W Outfall 010- W	Outfall 010 W	Outfall 010 W	Outfall 010 W	Outfall 010 W	Outfall 010 W				Relinquished By	Relinquished By	Relinquished By		



October 09, 2007

Vista Project I.D.: 29589

Mr. Nicholas Marz TestAmerica 17461 Derian Ave. Suite 100 Irvine, CA 92614

Dear Mr. Marz,

Enclosed are the results for the one aqueous sample received at Vista Analytical Laboratory on September 25, 2007 under your Project Name "IQI2053". This sample was extracted and analyzed using EPA Method 1613 for tetra-through-octa chlorinated dioxins and furans. A rush turnaround time was provided for this work.

The following report consists of a Sample Inventory (Section I), Analytical Results (Section II) and the Appendix, which contains the chain-of-custody, a list of data qualifiers and abbreviations, Vista's current certifications, and copies of the raw data (if requested).

Vista Analytical Laboratory is committed to serving you effectively. If you require additional information, please contact me at 916-673-1520 or by email at mmaier@vista-analytical.com. Thank you for choosing Vista as part of your analytical support team.

Sincerely,

Marchie Marer

Martha M. Maier Laboratory Director



Vista Analytical Laboratory certifies that the report herein meets all the requirements set forth by NELAC for those applicable test methods. Results relate only to the samples as received by the laboratory. This report should not be reproduced except in full without the written approval of Vista Analytical Laboratory.



Project 29589

Section I: Sample Inventory Report Date Received: 9/25/2007

<u>Vista Lab. ID</u>

Client Sample ID

29589-001

IQI2053-01

SECTION II

Method Blan	ık									EPA Method 1613
Matrix:	Aqueous		QC Batch No.:	94	453	Lab S	Sample:	0-MB001		
Sample Size:	1.00 L		Date Extracted	: 6-	Oct-07	Date	Analyzed DB-5:	9-Oct-07	Date An	alyzed DB-225: NA
Analyte	Conc.	(ug/L)	DL ^a	EMPC ^b	Qualifiers		Labeled Standa	rd	%R	LCL-UCL ^d Qualifiers
2,3,7,8-TCDD		ND	0.000000567			<u>IS</u>	13C-2,3,7,8-TCE	DD	100	25 - 164
1,2,3,7,8-PeCI	DD	ND	0.000000789				13C-1,2,3,7,8-Pe	CDD	108	25 - 181
1,2,3,4,7,8-Hx	CDD	ND	0.00000150				13C-1,2,3,4,7,8-1	HxCDD	99.0	32 - 141
1,2,3,6,7,8-Hx	CDD	ND	0.000000769				13C-1,2,3,6,7,8-1	HxCDD	96.9	28 - 130
1,2,3,7,8,9-Hx	CDD	ND	0.000000741				13C-1,2,3,4,6,7,8	3-HpCDD	101	23 - 140
1,2,3,4,6,7,8-H	IpCDD	ND	0.00000168				13C-OCDD		83.7	17 - 157
OCDD		0.0000168			J		13C-2,3,7,8-TCE	D F	106	24 - 169
2,3,7,8-TCDF		ND	0.00000781				13C-1,2,3,7,8-Pe	CDF	112	24 - 185
1,2,3,7,8-PeCI	OF	ND	0.000000768				13C-2,3,4,7,8-Pe	CDF	116	21 - 178
2,3,4,7,8-PeCI	OF	ND	0.000000724				13C-1,2,3,4,7,8-1	HxCDF	87.6	26 - 152
1,2,3,4,7,8-Hx	CDF	ND	0.00000102				13C-1,2,3,6,7,8-I	HxCDF	83.5	26 - 123
1,2,3,6,7,8-Hx	CDF	ND	0.000000993				13C-2,3,4,6,7,8-1	HxCDF	86.7	28 - 136
2,3,4,6,7,8-Hx	CDF	ND	0.00000106				13C-1,2,3,7,8,9-1	HxCDF	86.9	29 - 147
1,2,3,7,8,9-Hx	CDF	ND	0.00000140				13C-1,2,3,4,6,7,8	3-HpCDF	85.5	28 - 143
1,2,3,4,6,7,8-H	IpCDF	ND	0.00000208				13C-1,2,3,4,7,8,9	-HpCDF	91.1	26 - 138
1,2,3,4,7,8,9-Н	IpCDF	ND	0.00000199				13C-OCDF		82.0	17 - 157
OCDF	-	ND	0.00000225			CRS	37Cl-2,3,7,8-TC	DD	88.9	35 - 197
Totals						Foot	notes			
Total TCDD		ND	0.000000567			a. Sam	ple specific estimated of	letection limit.		
Total PeCDD		ND	0.000000789			b. Esti	mated maximum possib	le concentration.		
Total HxCDD		ND	0.00000100			c. Met	hod detection limit.			
Total HpCDD		ND	0.00000168			d. Low	ver control limit - upper	control limit.		
Total TCDF		ND	0.00000781							
Total PeCDF		ND	0.000000746							
Total HxCDF		ND	0.00000112							
Total HpCDF		ND	0.00000204							

Analyst: JMH

OPR Results								EP	A Method 1	1613
Matrix: Sample Size:	Aqueous 1.00 L		QC Batch No.: Date Extracted:	9453 6-Oct-07	Lat Da	o Sample: ate Analyzed DB-5:	0-OPR001 8-Oct-07	Date Analy	zed DB-225:	NA
Analyte		Spike Conc.	Conc. (ng/mL)	OPR Limits		Labeled Standard		%R	LCL-UCL	Qualifier
2,3,7,8-TCDD		10.0	9.21	6.7 - 15.8	IS	13C-2,3,7,8-TCDI)	93.5	25 - 164	
1,2,3,7,8-PeCI	DD	50.0	49.5	35 - 71		13C-1,2,3,7,8-PeC	DD	94.6	25 - 181	
1,2,3,4,7,8-Hx	CDD	50.0	50.1	35 - 82		13C-1,2,3,4,7,8-Hz	KCDD	95.7	32 - 141	
1,2,3,6,7,8-Hx	CDD	50.0	48.2	38 - 67		13C-1,2,3,6,7,8-Hz	KCDD	91.7	28 - 130	
1,2,3,7,8,9-Hx	CDD	50.0	48.0	32 - 81		13C-1,2,3,4,6,7,8-	HpCDD	105	23 - 140	
1,2,3,4,6,7,8-H	IpCDD	50.0	49.8	35 - 70		13C-OCDD		102	17 - 157	
OCDD		100	99.0	78 - 144		13C-2,3,7,8-TCDF	7	92.5	24 - 169	
2,3,7,8-TCDF		10.0	9.46	7.5 - 15.8		13C-1,2,3,7,8-PeC	DF	97.9	24 - 185	
1,2,3,7,8-PeCI	OF	50.0	47.2	40 - 67		13C-2,3,4,7,8-PeC	DF	93.1	21 - 178	
2,3,4,7,8-PeCI	OF	50.0	48.3	34 - 80		13C-1,2,3,4,7,8-Hz	KCDF	90.3	26 - 152	
1,2,3,4,7,8-Hx	CDF	50.0	51.0	36 - 67		13C-1,2,3,6,7,8-Hz	KCDF	87.1	26 - 123	
1,2,3,6,7,8-Hx	CDF	50.0	49.9	42 - 65		13C-2,3,4,6,7,8-Hz	KCDF	89.5	28 - 136	
2,3,4,6,7,8-Hx	CDF	50.0	50.4	35 - 78		13C-1,2,3,7,8,9-Hz	KCDF	89.9	29 - 147	
1,2,3,7,8,9-Hx	CDF	50.0	49.4	39 - 65		13C-1,2,3,4,6,7,8-	HpCDF	91.5	28 - 143	
1,2,3,4,6,7,8-H	IpCDF	50.0	53.6	41 - 61		13C-1,2,3,4,7,8,9-	HpCDF	104	26 - 138	
1,2,3,4,7,8,9-H	IpCDF	50.0	50.2	39 - 69		13C-OCDF		97.4	17 - 157	
OCDF		100	99.4	63 - 170	CRS	37Cl-2,3,7,8-TCD	D	83.7	35 - 197	

Analyst: JMH

Approved By: William J. Luksemburg 09-Oct-2007 13:19

Sample ID: IQI2	053-01								EPA N	Aethod 1613
Client Data			Sample Data		Lab	oratory Data				
Name: Test	America		Matrix:	Aqueous	Lab	Sample:	29589-001	Date Re	ceived:	25-Sep-07
Project: IQI2	.053 op 07		Sample Size:	1.01 L	QC	Batch No.:	9453	Date Ext	tracted:	6-Oct-07
Time Collected: 22-5	ep-07				Date	Analyzed DB-5:	9-Oct-07	Date An	alyzed DB-225:	NA
Analyte	Conc. (ug/L)	DL ^a	EMPC ^b	Qualifiers		Labeled Standar	:d	%R	LCL-UCL ^d	Qualifiers
2,3,7,8-TCDD	ND	0.000000	838		<u>IS</u>	13C-2,3,7,8-TCDI)	91.2	25 - 164	
1,2,3,7,8-PeCDD	ND	0.000000	989			13C-1,2,3,7,8-PeC	CDD	98.8	25 - 181	
1,2,3,4,7,8-HxCDD	ND	0.000003	26			13C-1,2,3,4,7,8-H	xCDD	88.8	32 - 141	
1,2,3,6,7,8-HxCDD	ND	0.000001	54			13C-1,2,3,6,7,8-H	xCDD	80.5	28 - 130	
1,2,3,7,8,9-HxCDD	ND	0.000001	48			13C-1,2,3,4,6,7,8-	HpCDD	94.1	23 - 140	
1,2,3,4,6,7,8-HpCDD	ND	0.000002	99			13C-OCDD		84.8	17 - 157	
OCDD	0.0000176			J,B		13C-2,3,7,8-TCDF	7	89.1	24 - 169	
2,3,7,8-TCDF	ND	0.000000	991			13C-1,2,3,7,8-PeC	CDF	97.8	24 - 185	
1,2,3,7,8-PeCDF	ND	0.000001	01			13C-2,3,4,7,8-PeC	DF	98.5	21 - 178	
2,3,4,7,8-PeCDF	ND	0.000000	970			13C-1,2,3,4,7,8-H	xCDF	75.7	26 - 152	
1,2,3,4,7,8-HxCDF	ND	0.000001	54			13C-1,2,3,6,7,8-H	xCDF	75.1	26 - 123	
1,2,3,6,7,8-HxCDF	ND	0.000001	48			13C-2,3,4,6,7,8-H	xCDF	73.8	28 - 136	
2,3,4,6,7,8-HxCDF	ND	0.000001	67			13С-1,2,3,7,8,9-Н	xCDF	76.8	29 - 147	
1,2,3,7,8,9-HxCDF	ND	0.000002	32			13C-1,2,3,4,6,7,8-	HpCDF	77.8	28 - 143	
1,2,3,4,6,7,8-HpCDF	ND	0.000002	92			13C-1,2,3,4,7,8,9-	HpCDF	86.1	26 - 138	
1,2,3,4,7,8,9-HpCDF	ND	0.000002	72			13C-OCDF		79.8	17 - 157	
OCDF	ND	0.000002	95		<u>CRS</u>	37Cl-2,3,7,8-TCD	D	97.3	35 - 197	
Totals					Foo	otnotes				
Total TCDD	ND	0.000000	838		a. Sa	mple specific estimated of	letection limit.			
Total PeCDD	ND	0.000000	989		b. Es	timated maximum possib	ble concentration.			
Total HxCDD	ND	0.000002	09		c. M	ethod detection limit.				
Total HpCDD	ND	0.000002	99		d. Lo	ower control limit - upper	control limit.			
Total TCDF	ND	0.000000	991							
Total PeCDF	ND	0.000000	990							
Total HxCDF	ND	0.000001	75							
Total HpCDF	ND	0.000002	82							

Analyst: JMH

APPENDIX

DATA QUALIFIERS & ABBREVIATIONS

В	This compound was also detected in the method blank.
D	Dilution
Р	The amount reported is the maximum possible concentration due to possible chlorinated diphenylether interference.
Н	The signal-to-noise ratio is greater than 10:1.
Ι	Chemical Interference
J	The amount detected is below the Lower Calibration Limit of the instrument.
*	See Cover Letter
Conc.	Concentration
DL	Sample-specific estimated detection limit
MDL	The minimum concentration of a substance that can be measured and reported with 99% confidence that the analyte concentration is greater than zero in the matrix tested.
EMPC	Estimated Maximum Possible Concentration
NA	Not applicable
RL	Reporting Limit – concentrations that correspond to low calibration point
ND	Not Detected
TEQ	Toxic Equivalency

Unless otherwise noted, solid sample results are reported in dry weight. Tissue samples are reported in wet weight.

CERTIFICATIONS

Accrediting Authority	Certificate Number
State of Alaska, DEC	CA413-02
State of Arizona	AZ0639
State of Arkansas, DEQ	05-013-0
State of Arkansas, DOH	Reciprocity through CA
State of California – NELAP Primary AA	02102CA
State of Colorado	
State of Connecticut	PH-0182
State of Florida, DEP	E87777
Commonwealth of Kentucky	90063
State of Louisiana, Health and Hospitals	LA050001
State of Louisiana, DEQ	01977
State of Maine	CA0413
State of Michigan	81178087
State of Mississippi	Reciprocity through CA
Naval Facilities Engineering Service Center	
State of Nevada	CA413
State of New Jersey	CA003
State of New Mexico	Reciprocity through CA
State of New York, DOH	11411
State of North Carolina	06700
State of North Dakota, DOH	R-078
State of Oklahoma	D9919
State of Oregon	CA200001-002
State of Pennsylvania	68-00490
State of South Carolina	87002001
State of Tennessee	02996
State of Texas	TX247-2005A
U.S. Army Corps of Engineers	
State of Utah	9169330940
Commonwealth of Virginia	00013
State of Washington	C1285
State of Wisconsin	998036160
State of Wyoming	8TMS-Q

SUBCONTRACT ORDER

TestAmerica - Irvine, CA

IQI2053

SENDING LABORATORY:	RECEIVING LABORATORY:	79
TestAmerica - Irvine, CA	Vista Analytical Laboratory-SUB ~ 75	50/
17461 Derian Avenue. Suite 100	1104 Windfield Way	100
Irvine, CA 92614	El Dorado Hills, CA 95762 O	\mathcal{O}
Phone: (949) 261-1022	Phone :(916) 673-1520	
Fax: (949) 260-3297	Fax: (916) 673-0106	
Project Manager: Michele Chamberlin	Project Location: California	\frown
	Receipt Temperature: $O \cdot \mathcal{U} \circ \mathbb{C}$ Ice;	Y /) N
		1
	Receipt Temperature: <u>∅ · ų</u> •C Ice.	YN

Analysis	Units	Due	Expires	Comments
Sample ID: IQI2053-01	Water		Sampled: 09/22/0	07 09:00
1613-Dioxin-HR-Alta	ug/l	10/01/07	09/29/07 09:00	J flags,17 congeners,no TEQ,ug/L,sub=Vista
Containers Supplied: エロコ 2053 -C	DIC A OZD	2-	1-AMBERS	

	9/24/07/17:00
Released By	Date/Time

na Benedict 9/25/07 /24/ By Date/Time Received By

Date/Time

Page 1 of 1

NPDES-471 Page 10 of 251

Released By

Project 29589

Date/Time

Received By

	ę	SAMPLE LO	DG-IN CHE	CKLIS	Г	1	V)	Visto Analytical) Laboroto	
Vista Project #:	295	89			та	ат <u> </u> (ingp	ecif	7. <u>1</u> ed	
Samples Arrival:	Date/Time 9 25 07	Initials:	Initials:			Location: $WR-F$ Shelf/Rack: N/A				
Logged In:	Date/Time 1244 9/25/07		Initials:	Initials: BBB		Location: ω Shelf/Rack:)R-7- B-4	
Delivered By:	FedEx	UPS	Cal	DHI	-	Haı Deliv	nd ered	Oth	ner	
Preservation:	Ace	В	lue lce	D	ry Ice		·	None		
Temp °C	$p \circ C $ $(), 4$ Time: 084% Therm						ometer ID: IR-1			
					•		VES	NO		
Adequate Sample 1	Volumo Poco	ivod?					V			
	volume <u>Nece</u>						$\frac{1}{\sqrt{2}}$			
Shipping Contained	r(s) Intact?						$\overline{\checkmark}$			
Shipping Custody	Seals Intact?	* <u>.</u>							$\overline{\mathbf{V}}$	
Shipping Documer	tation Preser	nt?					$\overline{\mathbf{V}}$			
Airbill	Trk #	191346	110165	5			V			
Sample Container Intact?										
Sample Custody S	eals Intact?						,		V	
Chain of Custody / Sample Documentation Present?								•		
COC Anomaly/Sample Acceptance Form completed?										
If Chlorinated or D	rinking Water	Samples Ac	ceptable Pre	eservatio					\bigvee	
Na ₂ S ₂ O ₃ Preservat	ion Documen	ited?	COC		Sam Conta	ple iiner		None	$\mathbf{\hat{\mathbf{y}}}$	

Vista

Client

Retain

Return

Comments:

Shipping Container

•

Dispose

SUBCONTRACT ORDER

TestAmerica - Irvine, CA

IQ12053

SENDING LABORATORY:

TestAmerica - Irvine, CA 17461 Derian Avenue. Suite 100 Irvine, CA 92614 Phone: (949) 261-1022 Fax: (949) 260-3297 Project Manager: Michele Chamberlin

7012403 **RECEIVING LABORATORY:**

Weck Laboratories, Inc-SUB 14859 E. Clark Avenue City of Industry, CA 91745 Phone :(626) 336-2139 Fax: (626) 336-2634 Project Location: California Receipt Temperature: °C Y / N Ice:

Analysis	Units	Due	Expires	Comments
Sample ID: IQI2053-01	Water		Sampled: 09/22/07 09.	00
Level 4 Data Package - Wee	c N/A	10/01/07	10/20/07 09:00	
Mercury - 245.1, Diss -OUT	mg/l	10/01/07	10/20/07 09:00	Weck, Boeing, J flags
Mercury - 245.1-OUT	mg/l	10/01/07	10/20/07 09:00	Weck,Boeing, permit, J flags, if result>ND.call TA
Containers Supplied:				
125 mL Poly w/HNO3 5 (L) (1	i00 mL Poly M)	w/HNO3		





Weck Laboratories, Inc.

Analytical Laboratory Services - Since 1964

14859 E. Clark Ave., Industry, CA 91745 Phone 626.336.2139 Fax 626.336.2634 info@wecklabs.com www.wecklabs.com

CERTIFICATE OF ANALYSIS

09/28/07 15:38 TestAmerica, Inc. - Irvine **Client: Report Date:** 09/24/07 09:00 17461 Derian Ave, Suite 100 **Received Date:** Irvine, CA 92614 **Turn Around:** Normal Attention: Nicholas Marz 7092403 Work Order #: Phone: (949) 261-1022 Fax: (949) 260-3297 **Client Project:** IQI2053

NELAP #04229CA ELAP#1132 NEVADA #CA211 HAWAII LACSD #10143

The results in this report apply to the samples analyzed in accordance with the Chain of Custody document. Weck Laboratories, Inc. certifies that the test results meet all NELAC requirements unless noted in the case narrative. This analytical report is confidential and is only intended for the use of Weck Laboratories, Inc. and its client. This report contains the Chain of Custody document, which is an integral part of it, and can only be reproduced in full with the authorization of Weck Laboratories, Inc.

Dear Nicholas Marz :

Enclosed are the results of analyses for samples received 09/24/07 09:00 with the Chain of Custody document. The samples were received in good condition. The samples were received at 2.3 °C and on ice. All analysis met the method criteria except as noted below or in the report with data qualifiers.

Reviewed by: in

Kim G Tu

Project Manager







Report ID: 7092403 Project ID: IQI2053 Weck Laboratories, Inc. 14859 E. Clark Ave. Industry, CA 91745 Phone 626.336.2139 Fax 626.336.2634

Date Received: 09/24/07 09:00 Date Reported: 09/28/07 15:38

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Sampled by:	Sample Comments	Laboratory	Matrix	Date Sampled
IQI2053-01	Client		7092403-01	Water	09/22/07 09:00



09/22/07 09:00

Date Received: 09/24/07 09:00 Date Reported: 09/28/07 15:38

Date Sampled:

Report ID: 7092403

Project ID: IQI2053

Metals by EPA 200 Series Methods

Analyte	Result	MDL	Units	Reporting Limit	Dilution Factor	Method	Batch Number	Date Prepared	Date Analyzed		Data Qualifiers
Mercury, Dissolved	0.041	0.025	ug/l	0.10	1	EPA 245.1	W7I1130	09/26/07	09/27/07	jlp	J
Mercury, Total	ND	0.025	ug/l	0.10	1	EPA 245.1	W7I1130	09/26/07	09/27/07	jlp	



Report ID: 7092403 Project ID: IQI2053 Weck Laboratories, Inc. 14859 E. Clark Ave. Industry, CA 91745 Phone 626.336.2139 Fax 626.336.2634

 Date Received:
 09/24/07 09:00

 Date Reported:
 09/28/07 15:38

QUALITY CONTROL SECTION



Date Received: 09/24/07 09:00 Date Reported: 09/28/07 15:38

Metals by EPA 200 Series Methods - Quality Control

Report ID: 7092403

Project ID: IQI2053

	%REC									
Analyte	Reporting Result Limit		Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch W7I1130 - EPA 245.1										
Blank (W7I1130-BLK1)				Analyzed:	09/27/07					
Mercury, Total	ND	0.10	ug/l							
Mercury, Dissolved	ND	0.10	ug/l							
LCS (W7I1130-BS1)				Analyzed:	09/27/07					
Mercury, Total	0.966	0.10	ug/l	1.00		97	85-115			
Mercury, Dissolved	0.966	0.10	ug/l	1.00		97	85-115			
Matrix Spike (W7I1130-MS1)	So	urce: 7092108	-05	Analyzed:						
Mercury, Total	0.988	0.10	ug/l	1.00	ND	99	70-130			
Mercury, Dissolved	0.988	0.10	ug/l	1.00	ND	99	70-130			
Matrix Spike (W7I1130-MS2)	So	urce: 7092108	-06	Analyzed:	09/27/07					
Mercury, Total	0.929	0.10	ug/l	1.00	ND	93	70-130			
Mercury, Dissolved	0.929	0.10	ug/l	1.00	ND	93	70-130			
Matrix Spike Dup (W7I1130-MSD1)	So	urce: 7092108	-05	Analyzed:	09/27/07					
Mercury, Total	0.982	0.10	ug/l	1.00	ND	98	70-130	0.6	20	
Mercury, Dissolved	0.982	0.10	ug/l	1.00	ND	98	70-130	0.6	20	
Matrix Spike Dup (W7I1130-MSD2)	So	urce: 7092108	-06	Analyzed: 09/27/07						
Mercury, Total	0.930	0.10	ug/l	1.00	ND	93	70-130	0.1	20	
Mercury, Dissolved	0.930	0.10	ug/l	1.00	ND	93	70-130	0.1	20	



Report ID: 7092403 Project ID: IQI2053 Weck Laboratories, Inc. 14859 E. Clark Ave. Industry, CA 91745 Phone 626.336.2139 Fax 626.336.2634

Date Received: 09/24/07 09:00 Date Reported: 09/28/07 15:38

Notes and Definitions

- J Detected but below the Reporting Limit; therefore, result is an estimated concentration (CLP J-Flag).
- ND NOT DETECTED at or above the Reporting Limit. If J-value reported, then NOT DETECTED at or above the Method Detection Limit (MDL)
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference
- % Rec Percent Recovery
- Sub Subcontracted analysis, original report available upon request
- MDL Method Detection Limit
- MDA Minimum Detectable Activity

Any remaining sample(s) will be disposed of one month from the final report date unless other arrangements are made in advance.

An Absence of Total Coliform meets the drinking water standards as established by the California Department of Health Services.

The Reporting Limit (RL) is referenced as the Laboratory's Practical Quantitation Limit (PQL) or the Detection Limit for Reporting Purposes (DLR).

All samples collected by Weck Laboratories have been sampled in accordance to laboratory SOP Number MIS002.